

# Journal of Parasitology

*The Official Organ of the American Society of Parasitologists*

Founded by HENRY BALDWIN WARD

Volume 27

August, 1941

Number 4-Part 2

## INDEX

Author - Subject - Host

—————  
Volumes 1-25

1914-1939

Prepared under the direction of  
Norman R. Stoll, Chairman  
Editorial Committee

## FOREWORD

The Index is in three main divisions: Author (pages 1-85), Subject (pages 87-166), and Host (pages 167-204). Subject and host indexes have been derived from the titles of articles as given in the author section. The list of new species described (beginning page 128) has been made bibliographic by examining the whole text of the 25 volumes, and the new species are referred to the page upon which their description is begun.

Developing this index covering the first quarter century of the JOURNAL OF PARASITOLOGY (volumes 1-18 of 4238 pages under the editorship of Henry Baldwin Ward; volumes 19-25 of 3536 pages as the official organ of the American Society of Parasitologists) has been made possible through the assistance of Ruth Rothenburger Ferguson who compiled the original author, subject, and host cards, and Paul D. Harwood and A. C. Jerstad who furnished the author entries for the Proceedings of the Helminthological Society of Washington. Appreciation is expressed for their cooperation, and that of others, especially G. L. Graham, who assisted in backchecking citations throughout the book, and The Science Press Printing Company.

Insofar as the JOURNAL OF PARASITOLOGY represents a cross section of American parasitology during the 25-year period covered—and it does—the present index, containing in excess of 9,000 entries, brings its resources into comprehensive perspective, and at a moment's availability. No less an aim would have justified the undertaking. One should add, for the user, that even the best of mines may need a little digging to get at the ore.

NORMAN R. STOLL

- Abrams, Evelyn. See Brand et al 1937, 23, 567
- See also Mauss, Evelyn. Abrams
- Ackert, James E. Experiments on cysticerci of *Taenia pisiformis* Bloch and of *Taenia serialis* Gervais 1915, 1, 151
- On the life cycle of the fowl cestode, *Davainea cesticillus* (Molin) 1918, 5, 41
- On the life history of *Davainea tetragona* (Molin), a fowl tapeworm 1919, 6, 28
- The longevity of fowl tapeworms (PHS) 1921, 7, 198
- On the habitat of *Ascaridia perspicillum* (Rud.) 1923, 10, 101
- Effect of repeated bleeding upon resistance of chickens to parasitism (ab) 1926, 12, 163
- See Zimmerman et al 1926, 12, 164
- Fisher, M. L. and Zimmerman, N. B. Resistance to parasitism affected by the fat-soluble vitamin A (ab) 1927, 13, 219
- and Spindler, L. A. Vitamin D and resistance of chickens to parasitism (ab) 1927, 14, 133
- and Herrick, C. A. Effects of the nematode *Ascaridia lineata* (Schneider) on growing chickens 1928, 15, 1
- and Jones, R. W. Effect of helminthiasis on resistance of chickens to parasitism (ab) 1928, 15, 135
- See Graham and Ackert 1929, 16, 98
- and Beach, T. D. Yeast as a factor in the growth of the fowl nematode *Ascaridia lineata* (Schneider) (ab) 1931, 28, 113
- and Cauthen, G. E. Viability of the eggs of the fowl nematode *Ascaridia lineata* (Schneider) exposed to natural climatic factors (ab) 1931, 28, 113
- and Porter, D. A. Effects of periodic bleeding on the resistance of chickens to the intestinal nematode, *Ascaridia lineata* (Schneider) (ab) 1931, 28, 114
- See Beach and Ackert 1932, 19, 121
- Porter, D. A. and Beach, T. D. Age resistance of chickens to the parasite, *Ascaridia lineata* (ab) 1932, 19, 157
- Eisenbrandt, L. L., Glading, B. and Wilmoth, J. H. On the comparative resistance of six breeds of chickens to the nematode *Ascaridia lineata* (Schneider) (ab) 1933, 20, 127
- and --- On the comparative resistance of bronze turkeys and white leghorn chickens to the nematode *Ascaridia lineata* (Schneider) (ab) 1933, 20, 129
- and Wilmoth, J. H. Resistant and susceptible strains of white minorca chickens to the nematode, *Ascaridia lineata* (Schneider) (ab) 1934, 20, 323
- and Eisenbrandt, L. L. Comparative resistance of bronze turkeys and white leghorn chickens to the intestinal nematode, *Ascaridia lineata* (Schneider) [Errata 21, 419] 1935, 21, 205
- and Whitlock, J. H. Studies on ascarid nutrition (ab) 1935, 21, 428
- and Freeman, A. E. Further studies in ascarid nutrition (ab) 1936, 22, 531
- and Reid, W. M. The house fly and fowl tapeworm transmission (ab) 1936, 22, 543
- and --- Age resistance of chickens to the cestode *Railletiana cesticillus* (Molin) (ab) 1937, 23, 558
- and Edgar, S. A. Goblet cells and age resistance to parasitism (ab) 1938, 24 Suppl. 13
- and Case, A. A. Effects of the tapeworm *Railletiana cesticillus* (Mo-

\* The 3397 author entries include 1141 from abstracts (ab) of papers on programs of the American Society of Parasitologists, and 944 from notes (PHS) of Proceedings of the Helminthological Society of Washington.

- (lin) on growing chickens (ab) 1938, 21 Suppl. 14
- See Case and Aekert 1938, 21 Suppl. 17
- Adams, J. Alfred and Travis, B. V.** Two new species of gregarine protozoa from the firebrat, *Theridion domestica* (Pack.) (Thysanura) 1935, 21, 56
- Africa, Candido M.** The excretory system of *Cercariae bilobata* Miller 1926
- Studies on the activity of the infective larvae of the rat strongylid, *Nippostrongylus muris* 1931, 17, 196
- Studies on the host relations of *Nippostrongylus muris*, with special reference to age resistance and acquired immunity 1931, 18, 1
- Alicata, Joseph E.** See Schwartz and Alicata 1929, 15, 289
- The occurrence of *Dirofilaria immitis* in rabbits (PHS) 1929, 15, 287
- See Schwartz and Alicata 1929, 16, 105
- Globidium* in abomasum of American sheep [PHS 1930, 16, 162
- See Schwartz and Alicata 1930, 16, 168
- See Schwartz and Alicata 1931, 18, 21
- Infective larvae of *Physocaphtalus scutatus* in bats (PHS) 1931, 18, 47
- See Schwartz and Alicata 1931, 18, 54
- See Schwartz et al 1931, 18, 129
- See Chitwood and Alicata 1932, 18, 306
- The incidence of protozoa in domestic swine (PHS) 1932, 18, 310
- and **Lucker, J. T.** The occurrence of a species of Capillarinae [sic] in the gastric wall of rats in the United States (PHS) 1932, 18, 311
- See Schwartz and Alicata 1932, 19, 17
- The occurrence of *Moniezia benediti* in a peccary (PHS) 1932, 19, 83
- Stelbanus mori* de Almeida, 1928, a synonym of *Stelbanus dentatus* Diesing, 1839 (PHS) 1932, 19, 84
- See Schwartz and Alicata 1932, 19, 171
- shira icterohemorrhagiae* in the Hawaiian Islands (ab) 1937, 23, 572
- See Hegner and Alicata 1938, 21, 554
- Life history of the ceval fluke, *Posthodiplostomum minimum*, of poultry (ab) 1938, 21 Suppl. 29
- and **Chang, E.** The life history of *Hymenolepis caciqua*, a cestode of poultry in Hawaii 1939, 25, 121
- Preliminary note on the life history of *Stibatura braunphi*, a common ceval nematode of poultry in Hawaii 1939, 25, 179
- Allen, Eua A.** [Epidemiologic among quail with presence of *Trichomonas* sp.] PHS 1930, 16, 162
- [Note on a method for using the benzidine test] PHS 1931, 18, 53
- The occurrence of *Eimeria trinitata* in the United States (PHS) 1933, 20, 73
- The pathogenicity of *Eimeria mitis* Tyzzer, 1929, to three-month-old chickens (PHS) 1933, 20, 73
- Sphaerochaeta laevis* in the blood of a willow grouse (PHS) 1933, 20, 97
- Cultures of *Pentatrachomonas* sp. in vitro from the livers of chickens and turkeys (ab) 1938, 24 Suppl. 13
- Allen, Fred W.** See Larson and Allen 1927, 13, 225
- Allen, W. E.** A note on the longevity of larval ticks 1921, 1, 156
- Allison, Leonard N.** See Holl and Allison 1935, 21, 197
- See McMullen et al 1939, 25 Suppl. 24
- Alvey, Clifford H.** See Stunkard and Alvey 1929, 16, 106
- A species of *Cephalogonimus* from the domestic duck (ab) 1932, 19, 174
- and **Stunkard, Horace W.** *Citostomum attenuatum* from the great blue heron (ab) 1932, 19, 174
- Sphyrnura oligorhynchus* n. sp. from *Necturus maculosus* (ab) 1933, 20, 140
- The life-cycle of *Sphyrnura oligorhynchus* (ab) 1933, 20, 140
- and **Martin, W. E.** The lymph system of *Sphyrnura oligorhynchus* (ab) 1934, 20, 327
- and **Kintner, K. E.** *Taenia asiatica* n. sp. from the screech owl (ab) 1934, 20, 327
- Ameel, Donald J.** Life history of the North American lung fluke of mammals (ab) 1931, 18, 114
- Life history of the North American lung fluke of mammals 1932, 18, 264
- The life history of *Crepidostomum cornutum* (Osborn) 1937, 23, 218
- See La Rue and Ameel 1937, 23, 382
- The morphology and life cycle of *Leurochlamis monorchis* n. sp. (Trematoda) from the mink 1938, 21, 219
- Observations on the life cycle of *Avidocotyle norcici* Barker, 1916 (Trematoda: Notocotylidae) (ab) 1939, 25 Suppl. 13
- Anderson, Marlowe G.** The validity of *Taenia confusa* Ward, 1896 1934, 20, 207
- Andrews, John S.** An ascus in the abomasum of a sheep (PHS) 1932, 19, 94
- The development of the preparasitic larval stages of *Ostertagia circumcincta* (PHS) 1933, 20, 63
- See Dikmans and Andrews 1933, 20, 107
- Note on the egg producing capacity of *Cooperia curfeci*, a nematode parasite in sheep 1936, 22, 222
- Acquired resistance in sheep to superinfection with a nematode, *Cooperia curfeci* (ab) 1937, 23, 559
- Hemorrhage as the cause of the fatal anemia associated with stomach worm infection in sheep (ab) 1938, 24 Suppl. 17
- Andrews, Justin M.** Cultivation of *Trichomonas*, thermal death point, anaerobic conditions, attempts at sterilization 1926, 12, 148
- Immunity in coccidiosis of cats and dogs (ab) 1926, 12, 162
- Note on the thermal death-point of *Trichomonas* (PHS) 1926, 12, 177
- The specificity of the *Isospora* of cats and dogs with respect to host (PHS) 1926, 13, 89
- Host-parasite specificity in the coccidia of mammals 1927, 13, 183
- Detection and incidence of lamina intestinalis protozoa by the sigmoidoscope (ab) 1927, 13, 221

and **Sanders, Elizabeth P.** Changes in the blood of rats due to trypanosomiasis (ab) 1927, *H.*, 127

— New species of coccidia from the skunk and prairie dog 1928, *H.*, 193

— Changes in the acid-base equilibrium of the blood of rats infected with *Trypanosoma equiperdum* (ab) 1928, *I.*, 135, 135

— Malarial parasite and spleen infestations in Grenada, B.W.I. (ab) 1929, *I.*, 96

— Host specificity in *Balanitidium coli* (ab) 1931, *I.*, 114

— **Johnson, C. M.** and **Schwartz, S. C.** Effect of fecal extracts in *E. histolytica* culture media (ab) 1932, *I.*, 161

— Control of poultry coccidiosis by chemical treatment of litter (ab) 1932, *I.*, 177

— Probabilities of fortuitous coincidence in the experiments previously reported on the control of poultry coccidiosis by the chemical treatment of litter (PHS) 1933, *I.*, 99

— Chemical treatment of litter as an aid in the control of rabbit coccidiosis (PHS) 1933, *I.*, 100

— Effect of oily mixtures of phenolics on the oocysts of poultry coccidia, with special reference to *Eimeria tenella* (ab) 1933, *I.*, 124

— The diagnosis of intestinal protozoa from purged and normally passed stools 1934, *I.*, 253

— Resistance and susceptibility in coccidial infections (ab) 1934, *I.*, 332

— *Eutimaecha histolytica* and other protozoa in wild rats caught in Ballu-more (ab) 1934, *I.*, 334

— **Miller, F. W.** and **Rees, C. W.** Acquired immunity in *Trichomonas foetus* infection of cattle (ab) 1935, *I.*, 429

— See Cabaldon and Andrews 1935, *I.*, 451

— **Kerr, K. B.** and **Porter, D. A.** Cultural and microscopic diagnosis of *Trichomonas foetus* infection in cattle 1935, *I.*, 452

— and **Rees, C. W.** Experimental *Trichomonas foetus* infection in sheep 1936, *I.*, 108

— The cultivation of *Trichomonas foetus* free from bacteria (ab) 1936, *I.*, 539

— **Armstrong, D. F.** See Herms et al 1939, *I.*, 511

— **Anson, Barry J.** See Howard and Anson 1922, *I.*, 68

— **Arnett, John H.** See Wenrich et al 1932, *I.*, 175

— See Wenrich et al 1933, *I.*, 141

— See Wenrich and Arnett 1937, *I.*, 318

— See Wenrich and Arnett 1938, *I.*, Suppl. 8

— **Arnold, John G., Jr.** Some trematodes of the common bullhead *Ameletus nebulosus* (Le Sueur) (ab) 1933, *I.*, 136

— A survey of the parasites of North American rabbits (ab) 1935, *I.*, 431

— A study of the anophorephaline cecidodes of North American rabbits (ab) 1935, *I.*, 445

— and **Duggan, T. L.** Immunological studies with *Dirofilaria immitis* (ab) 1937, *I.*, 561

— **Asada, Junichi** See Ozaki and Asada 1926, *I.*, 216

— **Atchley, Floyd O.** See Doughton et al 1933, *I.*, 123

— The cultivation of the *Balanitidium* of the chimpanzee in fecal extract (ab) 1933, *I.*, 144

— See Swezey and Atchley 1934, *I.*, 313

— The maintenance of a strain of *Balanitidium* in laboratory rats 1935, *I.*, 183

— and **Hull, J. B.** Oviposition by *Callicoides* breeding in salt marshes 1936, *I.*, 514

— **Augustine, Donald L.** [Death of bookworm larvae in cultures] PHS 1923, *I.*, 242

— [Relation of differences in soil to unsledding of bookworm larvae] PHS 1923, *I.*, 246

— Development of *Belascaris marginata* in prenatal infestation (ab) 1927, *I.*, 219

— Development in prenatal infestation of *Belascaris* 1927, *I.*, 256

— **Nazmi, M., Helmy, M.** and **McGavran, E. G.** The ova-parasitic ratio for *Brucylostoma diadema* and *Isocaris hundrioides* 1928, *I.*, 45

— and **Theiler, H.** Precipitin and intradermal tests in trichinosis (ab) 1930, *I.*, 106

— Effects of quick freezing upon infective larvae of *Trichinella spiralis* (ab) 1932, *I.*, 175

— and **Davey, D. G.** Observations on a natural infection with *Strongyloides* in the dog 1939, *I.*, 117

— **Azim, M. Abdel** On the life history of *Leishmania ranbanum* Looss, 1896, and its development from a siphidocercaria 1935, *I.*, 365

— **Bachman, George W.** and **Rodriguez-Molina, R.** Resistance to infestation with *Trichinella spiralis* in hogs (ab) 1932, *I.*, 159

— and **Oliver-Gonzalez, J.** Anomalous and non-specific reactions with *Trichinella spiralis* antigen in relation to other disease conditions (ab) 1933, *I.*, 146

— **Baer, Jean-G.** On a new species of *Hydrophilus* from a monkey 1927, *I.*, 48

— **Baerg, W. J.** The effect of the poison of tarantulas 1921, *I.*, 86

— The effects of the bite of *Lathrodectus mactans* Fabr. 1923, *I.*, 161

— **Baker, Alex D.** See Conklin and Baker 1930, *I.*, 18

— **Baker, Clara E.** See Stiles and Baker 1926, *I.*, 177

— See Stiles and Baker 1927, *I.*, 67

— See Stiles and Baker 1930, *I.*, 163

— **Baker Dan D.** and **Hinman, E.** A helminthological survey of 1315 dogs from New Orleans (ab) 1935, *I.*, 427

— **Baker, Donald W.** Observations on *Limneria hahidromensis* in New York state cattle (ab) 1938, *I.*, Suppl. 15

— and **Monlux, W. S.** Hypodermomyiasis in the horse—summary of a series of cases studied during spring and summer, 1939 (ab) 1939, *I.*, Suppl. 16

— **Baker, Frank Collins** Fluke infections and the destruction of the intermediate host 1922, *I.*, 115

— **Baker, Fred C.** See Robinson and Baker 1939, *I.*, 149

— The preparation of a relatively stable urase concentrate from blowfly larvae 1939, *I.*, 280

— **Balfour, Andrew** Hepaticoliasis 1925, *I.*, 115

— **Ball, Gordon H.** Observations on the life history of *Chilomastix* (ab) 1931, *I.*, 115

— A gregarine parasite in the striped shore crab, *Libinia setacea* (ab) 1933, *I.*, 122

— Is the Capuchin monkey refractory to infection with *Echinamoeba histolytica*? 1935, *I.*, 220

— The life histories of some gregarines parasitic in marine crustacea (ab) 1937, *I.*, 533

— **Bangham, Ralph V.** Parasites as a limiting factor in Ohio fish hatcheries 1927, *I.*, 214

— A new intermediate host of *Proterophthalmus psawoi* La Rue (ab) 1927, *I.*, 223

— See Hunter and Bangham 1933, *I.*, 304

— **Barker, Franklin D.** Parasites of the American muskrat (*Fiber zibethicus*) 1915, *I.*, 184

— Protozoal infections in routine practice (ab) 1926, *I.*, 169

— **Barlow, Claude H.** [Difference between specimens of *Fasciolopsis buski* collected from a 9 year old child and from a man] PHS 1921, *I.*, 199

— [Note on fasciolopsiniasis] PHS 1921, *I.*, 200

— Experimental ingestion of the ova of *Fasciolopsis buski*; also the ingestion of adult *Fasciolopsis buski* for the purpose of artificial infestation 1921, *I.*, 40

— [Specimen of female *Thalazia californica*, a parasite of the eye] PHS 1921, *I.*, 91

— Characteristic movements of the miracidia and cercariae of the human schistosomes of Egypt (ab) 1935, *I.*, 430

— **Barnes, M. E.** [Results of parasitological survey in Siam] PHS 1925, *I.*, 236

— **Barone, George H.** See La Rue and Barone 1927, *I.*, 124

— **Barret, Harvey P.** See Smith and Barret 1928, *I.*, 272

— **Barrett, M. T.** See Smith and Barrett 1915, *I.*, 159

— See Smith and Barrett 1915, *I.*, 52

— **Bartsch, Paul** [Japanese snails as intermediate hosts of trematodes] PHS 1921, *I.*, 187

— [Shipworms] PHS 1921, *I.*, 196

— [Variation in snails] PHS 1921, *I.*, 199

— [Copper sulphate used in collection of aquatic organisms] PHS 1921, *I.*, 93

— [Infestation of 6-months-child with *Taenia saginata*] PHS 1921, *I.*, 93

- [*Blattfordia* correct name for a molluscan genus] PHS 1922, 9, 37
- [*Isadora contorta* as intermediate host of *Schistosoma* in Africa] PHS 1922, 9, 15
- [Two injurious snails introduced into Texas] PHS 1924, 10, 208
- [Result of examination of students of Howard University for hookworms] PHS 1929, 15, 229
- [Importance of determining hydrogen ion concentration of water from which snails are collected] PHS 1929, 15, 287
- [Two cases of Leishmania at Freedman's Hospital, Washington, D. C.] PHS 1932, 18, 311
- Basnuevo, Jose G.** See Kouri and Basnuevo 1939, 25 Suppl. 35
- Baylis, H. A.** *Tarascuris lontina* as a parasite of the domestic cat (PHS) 1924, 10, 217
- Beach, T. D.** See Ackert and Beach 1931, 18, 113
- and **Ackert, J. E.** Does yeast affect the growth and infectivity of the nematode, *Isarcidia lineata* (Schneider), in chickens? 1932, 19, 121
- See Ackert et al 1932, 19, 157
- See Ackert et al 1935, 21, 205
- Beahm, Edgar H. and Downs, C. M.** Differential blood picture and total cell count on normal and trichina infected albino rats 1939, 25, 405
- Beaudette, F. R., Black, J. J. and Hudson, C. B.** Distribution of *Tranversus americana* in New Jersey 1933, 19, 302
- Beaver, Paul C.** Studies on the development of *Allasostoma parvum* Stunkard 1929, 16, 13
- A method for transplanting adult trematodes (ab) 1935, 21, 434
- Experiments on regeneration in the trematode, *Echinostoma reconditum* 1937, 23, 423
- Life history studies on *Psilostomum ondatrac* Price and *Petalosiger nitidus* Linton (Trematoda) (ab) 1938, 24 Suppl. 28
- The morphology and life history of *Petalosiger nitidus* Linton (Trematoda: Echinostomidae) 1939, 25, 269
- The morphology and life history of *Psilostomum ondatrac* Price, 1931 (Trematoda: Psilostomidae) 1939, 25, 383
- The life cycle of *Euparyphium melis* (Trematoda: Echinostomidae) 1939, 25 Suppl. 19
- Becker, Elery R.** See Hegner and Becker 1922, 9, 15
- See Talliaferro and Becker 1922, 9, 37
- Observations on the morphology and life cycle of *Crithidia gerardi* Patton in the water-strider, *Gerris remigis* Say 1923, 9, 141
- [Observations on the morphology and life history of *Herpetomonas muscae-domesticae* in North American muscoid flies] PHS 1923, 9, 242
- [Transmission experiments on the specificity of *Herpetomonas muscae-domesticae* in muscoid flies] PHS 1923, 10, 25
- The morphology of *Mastigina hyale* (Frenzel) from the intestine of the tadpole 1925, 11, 213
- Encapsulation of *Mastigina hyale* (ab) 1926, 12, 162
- Detection of intestinal protozoan infections by the cultivation method 1926, 12, 219
- *Herpetomonas arctocorax* sp. nov. entozoic in the intestine of the water-boatman *Arctocorura intergrata* Say 1927, 14, 85
- Two types of oöcysts of coecidia from Iowa calves (ab) 1927, 14, 123
- and **Frye, W. W.** *Eimeria ellipsoidalis* nov. spec., a new coecidium of cattle 1929, 15, 175
- and **Schulz, J. A.** Some studies on the biology of the intusoria of the ruminant stomach (ab) 1929, 16, 96
- and ——— The relationship between the intusoria of the ruminant stomach and their host (ab) 1929, 16, 96
- See Kartelner and Becker 1930, 17, 90
- and **Hall, P. R.** Two species of coecidia from the Norway rat (ab) 1931, 18, 115
- and **Rees, C. W.** The occurrence of more than one species of *Proplasma* in the United States (PHS) 1932, 19, 92
- and **Hall, P. R.** Quantitative studies on oöcyst production by *Eimeria mitis* during immunization of rats belonging to different strains (ab) 1932, 19, 159
- Cross-infection experiments with coecidia of rodents and domesticated animals 1933, 19, 230
- and **Burroughs, R. D.** Rediscovery of *Eimeria carini* Pinto, 1923 (ab) 1933, 20, 123
- A check-list of the coecidia of the genus *Isospora* 1934, 20, 195
- The nature of immunity in coecidiosis (ab) 1934, 20, 332
- See Knipping and Becker 1935, 21, 417
- and **Spencer, P. S.** Attempts to influence a coecidian infection negatively through the diet 1935, 21, 455
- and **Morehouse, N. F.** The effect of diet on the coecidian infection of the rat 1936, 22, 60
- See Morehouse and Becker 1936, 22, 106
- and **Morehouse, N. F.** Modifying the quantitative character of coecidian infection through a dietary factor 1937, 23, 153
- Oöcyst counts for young rats on a basal diet supplemented with various feeding stuffs and experimentally infected with *Eimeria nisserhalei* (ab) 1937, 23, 553
- and **Waters, P. H.** Dried milk products in the ration and mortality with cecal coecidiosis in chicks (ab) 1938, 24 Suppl. 15
- Beckwith, T. D.** See Reich and Beckwith 1922, 9, 93
- Bellamy, R. Edward** An anopheline from inland Georgia resembling the brackish-water race of *Anopheles crucians* 1939, 25, 186
- Bennett, Harry J.** Four new trematodes from reptiles 1935, 21, 83
- The life history of *Calylophoron colylophorum*, a trematode from ruminants (ab) 1935, 21, 135
- and **Re, J. D.** Parasites of *Arpina tridactylum* (ab) 1936, 22, 544
- and **Humes, A. G.** Studies on the pre-cercarial development of *Stichorchis subtriquetrus* (Trematoda: Paramphistomidae) (ab) 1938, 24 Suppl. 27
- and ——— Studies on the precercarial development of *Stichorchis subtriquetrus* (Trematoda: Paramphistomidae) 1939, 25, 223
- and ——— The life history of *Stichorchis subtriquetrus* (Trematoda: Paramphistomidae) (ab) 1939, 25 Suppl. 18
- Bequaert, J.** The arthropod enemies of molluscs, with description of a new dipterous parasite from Brazil 1925, 11, 201
- and **Pilsbry, H. A.** The muscan intermediate host of the blood-fluke, *Schistosoma japonicum* Katsurada, in the Philippines, with a note on the genus *Blattfordia* 1931, 20, 280
- Berberian, D. A.** See Turner et al 1935, 21, 180
- See Turner et al 1936, 22, 14
- See Turner et al 1937, 23, 43
- Biggar, Ruth Ball and Wenrich, D. H.** Studies on ciliates from Bermuda sea urchins 1932, 18, 252
- Rishopp, F. C.** Liliatruck of fowls produced by fly larvae 1923, 9, 170
- An interesting sand fly outbreak in Texas (ab) 1927, 13, 217
- Ticks in relation to certain diseases of man and animals (ab) 1932, 19, 175
- A destructive outbreak of the screw worm fly, *Cochliomyia* spp. in the Southeast (ab) 1934, 20, 337
- and **Smith, C. N.** The American dog tick or Eastern Rocky Mountain spotted fever tick (ab) 1936, 22, 541
- Some problems in medical and veterinary entomology 1939, 25, 1
- Bisset, Peter** See Cobb and Bisset 1929, 15, 291
- Black, J. J.** See Beaudette et al 1933, 19, 302
- Bloom, William** See Huff and Bloom 1935, 21, 426
- See Talliaferro and Bloom 1938, 24 Suppl. 19
- Boeck, William C.** [Examination of 157 individuals for amebae] PHS 1921, 7, 187
- A probegan survey of an industrial school for boys and girls (PHS) 1921, 7, 191
- See Collier and Boeck 1926, 12, 131
- Bollman, J. L.** See Essex and Bollman 1929, 16, 97
- Bond, Franklyn F.** A microsporidian infection of *Fundulus heteroclitus* (Linn.) 1937, 23, 229
- *Myxosoma grandis* Kudo in fish from the Hudson River drainage system 1937, 23, 231
- Host specificity of the Myxosporidia of *Fundulus heteroclitus* (Linn.) 1937, 23, 540

- A probable constituent of the spore coat of myxosporidian spores. 1937, 23, 512
- The doubtful relationship of sporozoites to the ulcers of *Fasciola hepatica* (Linn.) 1938, 21, 207
- Resistance of myxosporidian spores to conditions outside of the host. 1938, 21, 470
- Myxosporidia from fishes of the genus *Esoc*. 1939, 25, 377
- Bonestill, Aileen E.** Transmission of *Giardia lamblia* and *G. muris* to the wood rat. 1935, 21, 317
- Inoculation experiments with *Trichomonas leontatis*, *T. lucialis* and *T. capitatis*. 1936, 22, 511
- Bonham, Kelshaw and Guberlet, J. E.** Notes on *Micronyle schastisi* Goto from Puget Sound. 1937, 23, 281
- Bosma, Nelly J.** See **La Rue** and **Bosma**. 1927, 11, 124
- Boughton, Donald C.** Bimodal periodicity in the oöcyst-production of the sparrow *Isospora* (ab). 1932, 19, 177
- L. C. Atchley, F. O. and Estridge.** Artificial extension of intervals between oöcyst peaks in the sparrow coccidium (ab). 1933, 20, 123
- Periodicity in the oöcyst-production of the pigeon *Lampro* (ab). 1934, 20, 329
- *Isospora colki* n. sp., a new avian coccidian. 1937, 23, 97
- Studies on oöcyst production in avian coccidiosis. III. Periodicity in the oöcyst production of cineraria infections in the pigeon. 1937, 23, 291
- Byrd, Elon E. and Lund, Horace O.** Microfilarial periodicity in the crow. 1938, 21, 461
- A method for testing the role of host activity in sporidian periodicity (ab). 1938, 21, Suppl. 15
- Boyd, George H.** Host feeding in its relation to parasite reproduction in avian malaria (ab). 1931, 18, 115
- Effect of quinine upon reproduction of the avian malaria parasite, *Plasmodium cathemerium* (ab). 1933, 20, 139
- Boyd, Mark F.** A note on the cultivation of *Trichomonas intestinalis*. 1918, 1, 168
- Observations upon *Trichomonas intestinalis* in vitro. 1919, 5, 132
- A possible intermediate host of *Fasciola hepatica* L. 1758, in North America. 1920, 7, 39
- The comparative morphology of the sporozoites of the human species of *Plasmodium*, Marchadava and Cdh. 1885
- Bozicevich, John** Viability and migration of *Haemaphysalis concoloris* larvae under various conditions of weather and soil PHS. 1930, 17, 53
- See **Wright et al.** 1930, 17, 117
- See **Wright** and **Bozicevich**. 1937, 23, 562
- Brackett, F. S.** See **Cole** and **Brackett**. 1939, 25, Suppl. 22
- Brackett, Sterling** See **Cort et al.** 1935, 21, 433
- See **Cort** and **Brackett**. 1937, 23, 265
- See **Cort** and **Brackett**. 1937, 23, 297
- See **Cort et al.** 1937, 23, 504
- See **Cort** and **Brackett**. 1937, 23, 545
- See **Cort** and **Brackett**. 1937, 23, 563
- See **Cort** and **Brackett**. 1938, 21, 263
- Description and life history of the nematode *Draconitulus ophidensis* n. sp., with a re-description of the genus. 1938, 21, 353
- See **Cort et al.** 1939, 25, 19
- Two new species of striped coccidia in lymnaeid snails from the United States. 1939, 25, 263
- See **Cort et al.** 1939, 25, Suppl. 8
- Brady, Frederick J.** See **Wright** and **Brady**. 1938, 21, Suppl. 9
- Brand, Theodor von** Observations upon the glycogen relationships in *Ascaris* (ab). 1936, 22, 531
- The anaerobic glycogen consumption in *ascaris*: females and males. 1937, 23, 68
- Haemoglobin in a larval nematode. 1937, 23, 225
- The aerobic resynthesis of glycogen in *Ascaris*. 1937, 23, 316
- Otto, G. F. and Abrams, E.** Studies on forced calcification in experimental trichina infections (ab). 1937, 23, 567
- Physiological observations on a larval *Eustrongyloides* (ab). 1937, 23, 572
- Physiological observations on a larval *Eustrongyloides* (Nematoda). 1938, 21, 445
- The localization of glycogen in
- Mactranthorhynchus hirudinaceus* (ab). 1938, 21, Suppl. 21
- Chemical and morphological observations upon the composition of *Mactranthorhynchus hirudinaceus* (Acanthocephala). 1939, 25, 329
- The glycogen distribution in the body of *Acanthocephala* (ab). 1939, 25, Suppl. 22
- Brannon, C. H.** Observations on the blow fly *Lucilia sericata* Meig. 1934, 20, 190
- Breckenridge, C. G.** See **Walker** and **Breckenridge**. 1938, 21, Suppl. 10
- Breder, Charles M., Jr.** See **Nigrelli** and **Breder**. 1933, 20, 136
- See **Nigrelli** and **Breder**. 1934, 20, 256
- Britton, John W.** The rate of egg production of *Strongyloides edwardsi* and *Strongyloides edwardsi* as measured by egg counts and qualitative larval cultures. 1938, 21, 517
- Brookover, Charles** Diptera in the human intestine. 1917, 3, 141
- Brooks, F. G.** A study of the germ cell cycle of the digenetic trematodes (ab). 1929, 16, 96
- Localization of germ cells in the sporocysts and rediae of trematodes (ab). 1929, 16, 97
- Brooks, Stanley Truman** See **Cort** and **Brooks**. 1926, 12, 159
- See **Cort** and **Brooks**. 1926, 12, 170
- A short study of human parasitism in the middle north. 1937, 23, 104
- Brown, G.** See **Stiles** and **Brown**. 1924, 11, 92
- See **Stiles** and **Brown**. 1924, 11, 96
- Brown, Harold W.** Human *Ascaris* as a household infection. 1927, 13, 206
- Studies on the rate of development in nature of *Ascaris lumbricoides* and *Trichurus trichiura* ova with some notes on the epidemiology of these species in Panama (ab). 1927, 13, 220
- Studies on the rate of development and viability of the eggs of *Ascaris lumbricoides* and *Trichurus trichiura* under field conditions. 1927, 11, 1
- Relation of *Ascaris* to pot-belly (PHS). 1927, 11, 72
- and **Cort, W. W.** The egg production of *Ascaris lumbricoides*. 1927, 11, 88
- A study of the regularity of egg production of *Ascaris lumbricoides*. *Ascaris americana* and *Trichurus trichiura*. 1927, 11, 110
- A quantitative study of the influence of oxygen and temperature on the embryonic development of the eggs of the pig ascarid (*Ascaris suum* Goeze). 1928, 11, 141
- Further studies on the longevity of the eggs of *Ascaris lumbricoides* and *T. suum*. 1928, 11, 144
- Hexylresorcinol in the treatment of ascaris, hookworm and trichuris infestations. The results of 1,500 human cases: egg counted before and after treatment (ab). 1931, 18, 116
- Clinical experiences with hexylresorcinol against ascaris, hookworm, trichuris, enterobius and taenia (ab). 1931, 18, 116
- See **Harwood** and **Brown**. 1933, 20, 128
- and **Lamson, P. D.** The comparative toxicity of certain anthelmintics (ab). 1933, 20, 141
- Some observations on the epidemiology of the dog heart worm (*Dirofilaria immitis*) (ab). 1937, 23, 570
- and **Sheldon, A. J.** A note on the prevalence of intestinal helminths in Orange county, North Carolina. 1939, 25, 445
- Brown, Philip W.** See **Magath** and **Brown**. 1927, 13, 225
- Brug, S. L.** An observation on *Giardia*. 1935, 21, 132
- Bucy, Paul C.** See **Hull** and **Bucy**. 1936, 22, 110
- Buhrer, E. M.** Remarks on a list of host plants of the root-knot nematode, *Alectrocarpa marioni* (Cobb). 1929, 16, 79
- (Gooley, 1932 (PHS). 1933, 20, 102
- Burge, W. E. and Burge, E. L.** The protection of parasites in the digestive tract against the action of the digestive enzymes. 1915, 7, 179
- Burroughs, R. D.** See **Becker** and **Burroughs**. 1933, 20, 123
- Butler, Charles S.** High percentage of infection with anaerobes in narrow lumina in presence of a carrier PHS. 1922, 9, 41
- [Ascidina in Guam may be associated with ascariasis] PHS. 1922, 9, 43
- [*Uromastix* in nostrils of doves] PHS. 1924, 11, 94

- [ *Ascaris lumbricoidea* in Guam schoolchildren ] PHS 1924, 11, 100
- [ Probable identity of *Treponema pertense* with *T. pallidum* ] sic | PHS 1930, 17, 52
- Byrd, Elon E.** A new trematode parasite, *Kenifer caridi* n. sp., from the watersnake, *Natrix rhombifera*, from Columbus, Mississippi 1936, 22, 229
- Studies in parasitology. V. The intestinal parasites in 257 college freshmen 1936, 22, 301
- A new trematode parasite from the mud-turtle, *Kinosternon subdubium hiphoprepis* (Gray) 1936, 22, 413
- The intestinal parasites observed in fecal samples from 729 college freshmen 1937, 23, 213
- See Boughton et al 1938, 24, 161
- and **Denton, J. F.** New trematodes of the subfamily Keniferiac, with a discussion of the systematics of the genera and species assigned to the subfamily group 1938, 24, 379
- The present status of the trematode family Spirotrichidae Stunkard (ab) 1938, 24 Suppl, 28
- and **Rondabush, R. L.** *Leptophylum ovalis* n. sp., a trematode from the brown watersnake 1939, 25, 471
- Cable, Raymond M.** See Stunkard and Cable
- Three new species of larval trematodes from Kentucky (ab) 1935, 21, 436
- and **Martin, W. E.** *Parorchis acanthus* (Linton, 1914), a synonym of *P. acanthus* (Nicol, 1906) (ab) 1935, 21, 436
- *Cercaria kentuckiensis*, n. sp., first representative of the "vivax" group known to occur in the United States (ab) 1935, 21, 441
- See Headlee and Cable 1936, 22, 530
- Experimental studies on the trematode, *Parorchis acanthus* Nicol (ab) 1936, 22, 544
- The resistance of the herring gull, *Larus argentatus*, to experimental infections of the trematode, *Parorchis acanthus* (ab) 1937, 23, 559
- and **Hanninen, A. V.** Observations on the life history of *Spelotrema nicollii* n. sp. (Trematoda: Microphallidae), with the description of a new microphallid cercaria (ab) 1938, 24 Suppl, 29
- and **Wheeler, N. C.** Notes on three new species of cercariae belonging to the pleurophocerca group 1939, 25, 35
- and **Hanninen, A. V.** The life history of *Spelotrema nicollii* (Trematoda: Microphallidae) (ab) 1939, 25 Suppl, 26
- Cahn, Alvin R.** The life history of a new forked-tailed cercaria (ab) 1927, 13, 222
- See Thomas and Cahn 1932, 18, 219
- Caldwell, Fred C. and Caldwell, Elnora L.** Are *Ascaris lumbricoidea* and *Ascaris suilla* identical? 1926, 13, 111
- and — The effect of sea-water on the development of hookworm ova and larvae (*Necator americanus*) 1927, 13, 270
- and — Preliminary report on observations on the development of ova of pig and human ascaris under natural conditions, and studies of factors influencing development 1928, 14, 254
- and — Study of rate of loss of hookworms in the absence of reinfection (ab) 1930, 17, 106
- and — The rate of loss of hookworms in the absence of reinfection 1931, 17, 209
- Cameron, H. S. and Stewart, M. A.** Studies on the course of trichostrongyle infestation in sheep (ab) 1937, 23, 569
- Cameron, T. W. M.** On the life history of *Apophthalus vivax* with observations on the life history of *Parorchis* in Canada (ab) 1936, 22, 542
- Campbell, Dan H.** The immunological specificity of a polysaccharide fraction from some common parasitic helminths 1937, 23, 548
- Campbell, E.** Report of the second case of sparganosis from man in China (ab) 1928, 11, 196
- Canavan, William P. N.** A six-suckered tapeworm, *Taenia hydatigena* Pallas 1766 1933, 20, 57
- Occurrence of intestinal and nasal myiasis in Oklahoma 1936, 22, 228
- Two new species of trematodes, a reifier *Lechthorichis secundus* n. sp.
- from *Natrix s. sipedon* and a diicrocoelid *Picrocoelium prolixicinctus* n. sp. from *Kakateo sulphurea* 1937, 23, 478
- Contrell, William** Relation of size to sex in pupae of *Aedes aegypti* (Linn.), *A. triseriatus* (Say) and *A. vexans* Meigen 1939, 25, 448
- Carr, H. P.** [Ascarids for fish bait] PHS 1924, 10, 211
- Carroll, R. P.** See Kepner and Carroll 1923, 10, 99
- Case, A. A.** See Ackert and Case 1938, 24 Suppl, 14
- and **Ackert, J. E.** New intermediate hosts of the low tapeworm *Raillietina cestriculus* (Molin) (ab) 1938, 24 Suppl, 17
- Cassidy, Gertrude H.** [Nematode-infested material from coffee plantations at Malang, Java] PHS 1930, 16, 162
- [Note regarding a Java collection of nematodes] PHS 1930, 16, 168
- *Mononchus cobbi* Cassidy, 1931, as a variety of *Mononchus parvus* de Man, 1880 (PHS) 1933, 20, 102
- Causey, O. R.** New anopheline and culicine mosquitoes from Siam 1937, 23, 543
- Comparative study of the morphology and life history of two species of frog filaria (ab) 1938, 24 Suppl, 20
- See Wolfson and Causey 1939, 25, 510
- Cauthen, George E.** See Ackert and Cauthen 1931, 18, 113
- Cawston, F. G.** The cercariae of Natal 1917, 3, 131
- *Cercaria scobii* 1917, 4, 91
- Chamberlin, Ralph V.** The occurrence of diplopods in the human alimentary tract with notes on two new cases 1923, 10, 95
- Chandler, Asa C.** On a species of *Hidra* occurring commonly in the western west, *Notophthalmus torosus* 1919, 5, 116
- A new record of *Taenia confusa*, with additional notes on its morphology 1920, 7, 34
- Notes on the occurrence of *Mouilliformis* sp. in rats in Texas 1921, 7, 179
- and **Suttles, C. L.** A new rat tapeworm, *Schizotania stipnodontis*, from North America 1922, 8, 123
- A note on *Ascaris lumbricoidea* with three uteri and ovaries (PHS) 1924, 10, 208
- The rates of loss and acquisition of hookworms (ab) 1928, 15, 136
- Characters for use in identification of species of the genus *Trichuris* (ab) 1929, 16, 97
- Specific characters in the genus *Trichuris*, with a description of a new species, *Trichuris tenuis*, from a camel 1930, 16, 198
- Susceptibility and resistance to helminthic infections 1932, 18, 135
- A new species of *Lomatiastrida* (Nematoda) from the cotton rat, *Sigmodon hispidus*, with notes on the division of the Heligmosominae into genera 1932, 19, 25
- Experiments on the passive transfer of immunity to an intestinal nematode infection, and its bearing on local immunity (ab) 1934, 20, 333
- A new tetrathyridid larva from Galveston Bay 1935, 21, 214
- The genus *Schizotania* in porcupines 1936, 22, 513
- The nature and mechanism of local immunity in parasitic infections (ab) 1937, 23, 588
- Effects of timber and age of worms on development of primary and secondary *Hymenolepis dimorpha* infections in rats (ab) 1938, 24 Suppl, 32
- Chandler, E. R.** *Uromela aculeata* (Koenike) in snails in North Carolina 1934, 20, 312
- Chandler, Wallace L.** Investigations of the value of nitrobenzol as a parasiticide with notes on its use in collecting external parasites 1917, 4, 27
- Chang, Ellen** See Alicata and Chang 1939, 25, 121
- Chapin, Edward A.** [Wasps parasitized by Styloptidae (Strepsiptera)] PHS 1923, 7, 59
- [Occurrence of encysted *Gonyoloma scutatum* in *Iphodius rubrotus*] PHS 1920, 7, 101
- [*Hymenolepis farcinosa* in staining] PHS 1921, 7, 186
- [*Dipylidium scoerodatum* in eel] PHS 1921, 7, 193
- [Tapeworm from whale, *Balaeoptera musculus*] PHS 1921, 7, 197
- [Findings in postmortem examination of African woli, *Lycodon bichus*] PHS 1921, 7, 200
- [Collection of a *Gastrophilus intestinalis* in pupal stage from horse manure] PHS 1921, 8, 95



- Note on monostomes (PHS) 1922, 9, 44
- [*Typhlocyba flavum* from ducks from North Carolina; a schistosome fluke (*Centrotholus*) in *Marilia albina* from Maryland] PHS 1924, 10, 208
- Note on *Spiromera affine* Leidy, 1856 (PHS) 1924, 10, 212
- [Note on spicules in *Synonymus laryngicus* of cattle] PHS 1924, 11, 106
- [European species of wide collected at Urbana, Illinois] PHS 1924, 11, 109
- [Symmetry of buccal teeth in genera *Synonymus* and *Cyathostoma*] PHS 1924, 11, 115
- [Specimens of *Echidnites* similar to *K. contracta* Leuck.] PHS 1925, 11, 225
- [Flies (*Trichocorypha vinuaci*) from European hedgehog (*Ermineus europaeus*)] PHS 1925, 11, 228
- [Specimen of *Strongylus leptocephalus* Rud. from *Bradypus* sp.] PHS 1925, 12, 105
- [*Ancylostoma pluriidentatum* (Moss.) from *Felis tigris*] PHS 1925, 12, 113
- [*Freyana (Microspalax) chancyi* Trt. and M'Gon. from *Aletrisaris gallopuro* at Churchill, Maryland] PHS 1925, 12, 113
- On the synonymy of *Megadoloides ranophilus* Millner, 1924 (PHS) 1926, 12, 180
- On the presence of *Lingualata serrata* Froel. in the caribou, *Rangifer granti* (PHS) 1926, 12, 180
- Note on the Heterophyidae (PHS) 1926, 12, 181
- [*Southwellia ransoni* new species 1926, 13, 90
- [*Eustrongylides ionolus* Jagersk. in the United States] (PHS) 1926, 13, 86
- [*Collyricium laba* (Grens.) and *C. ceteri* Ward not specifically distinct] PHS 1926, 13, 90
- [New name *Nanophyctus* to replace *Nanophyes* Chapin, 1926 new *Nanophyes* Chaudoi, 1845] (PHS) 1927, 14, 60
- Chapman, Orren D.** See Mueller and Chapman 1937, 23, 561
- Cheatum, E. L.** *Tamasia spidiacae* n. sp. and *Ochrobium trachicoda* (Trematoda) 1938, 24, 155
- Note on the status of *Festibula locustana* Vogt and Gabeldon, 1932 (PHS) 1933, 19, 253
- A note on the systematic position of *Crazeana craveniana* Arrigas [sic], 1927 (PHS) 1933, 19, 253
- Note on a genus and species of nematode from *Lycor canadensis* (PHS) 1933, 20, 63
- The status of *Spiroriva saianina* (Rudolphi, 1819) Semat, 1913 (PHS) 1933, 20, 69
- Changes in the generic position of certain nematode parasites of fishes formerly placed in the genus *Filaria* (PHS) 1933, 20, 104
- The systematic position of *Echinonema grayi* Gemmill, 1901 (PHS) 1933, 20, 104
- and **Chitwood, M. B.** The characters of a protomonatode (ab) 1933, 20, 130
- A revised classification of the Nematoda (ab) 1933, 20, 131
- The nature of the "cell body" of *Trichuris* and "Stichosome" of *Asparrinus* 1935, 21, 225
- The value of esophageal structures in nemic classification (ab) 1936, 22, 528
- and **Chitwood, M. B.** Three new nematodes with a consideration of factors governing nematocidal efficacy (ab) 1938, 24 Suppl. 34
- Chitwood, M. B.** See B. G. Chitwood and Chitwood 1932, 19, 91
- See B. G. Chitwood and Chitwood 1933, 20, 130
- See B. G. Chitwood and Chitwood 1938, 24 Suppl. 34
- Christensen, John F.** Species differentiation in the ocellula from the domestic sheep 1938, 24, 453
- Christenson, Reed O.** Notes on the biology of *Trichinella spiralis* (ab) 1927, 14, 122
- A new cestode reared in the dog, *Mallotys packi* sp. nov. 1929, 16, 49
- Christie, J. R.** [Modification of Cobb differentiator] PHS 1923, 9, 239
- [Embryology of *Loaeris* [sic] *devaudata*] PHS 1924, 11, 111
- [*Khabditis contracta* or very closely related species in *Iphodius fuscarius*] PHS 1925, 12, 106
- [Small nematoids resembling *Loaeris devaudata*] PHS 1925, 12, 109
- See Cobb and Christie 1927, 14, 62
- [Occurrence of males in genus *Meris*] PHS 1927, 14, 69
- [*Loaeris devaudata* a strictly bisexual species] PHS 1928, 15, 71
- [*Ceratomyxa basilaris*, a new host for *Loaeris devaudata*] (PHS) 1928, 15, 71
- [Effect of environment on the development of sex in the Mermitidae] PHS 1928, 15, 72
- Notes on larval nemas from insects 1928, 15, 127
- [*Diophtanus coronatus* Cobb, found in intestine of mole cricket, *Gryllotalpa brachyactyla*] PHS 1929, 15, 80
- Notes on larval nemas from insects 1930, 16, 250
- [*Sphaerularia boumbi* from Falls Church, Va., U. S. A.] PHS 1930, 17, 55
- Notes on some saproxytes or semi parasitic nematodes interesting plants (PHS) 1933, 20, 63
- and **Crossman, L.** On the dissemination of a diplogastrod (PHS) 1933, 20, 69
- Chu, H. J.** *Giardia hamerri* n. sp. from a Philippine civet cat 1930, 16, 231
- Nematodes from flying lemmings in the Philippine Islands and from birds in China 1931, 17, 155
- Chu, Tso-Chih** A review of the status of the reptilian nematodes of the genus *Khabdias* with a redescription of *Khabdias juscronosa* var. *californensis* (Kizzo, 1902) new rank 1930, 22, 130
- Studies on the life history of *Khabdias juscronosa* var. *californensis* (Kizzo, 1902) 1936, 22, 140
- Ciurea, J.** Sur la source d'infection du chien et du chat avec *Trichostrongylus perfoliatus* (v. Ritz) et la question d'infection de l'homme avec les débris de la famille des cestodes nides [Ferrata 7, 156] 1920, 6, 173
- Cleland, J. Burton** Concentric bodies, probably of parasitic origin, in the Australian sea mullet, *Mullus debilis* 1919, 6, 102
- Cleveland, L. R.** Observations and experiments on a Trichostrongylus of man with the ability to grow and multiply indefinitely in feces diluted with tapwater and in colloblooded hosts (ab) 1927, 13, 217
- The separation of a *Tricho-*

- monas of man: from bacteria and its failure to grow in media free of living bacteria and in the blood stream of warm and cold-blooded vertebrates (ab) 1927, 14, 129
- A *Trichostrongylus* of man in pure cultures of various microorganisms; its failure to grow with some and the measurement of its growth and dissemination rate with others (ab) 1927, 14, 129
- Coatney, G. Robert** Relapse and associated phenomena in the *Haemaphysalis* infection of the pigeon (ab) 1932, 19, 178
- See Proenty and Coatney 1933, 20, 139
- The effect of atabrine and plasminin on the *Haemaphysalis* infection of the pigeon (ab) 1933, 20, 145
- Some blood parasites from eastern Nebraska vertebrates (ab) 1935, 21, 440
- *Finchii meservei* a new species of cercaria from Forster's tern, *Sterna forsteri* Nuttall 1935, 21, 449
- A note on *Trypanosoma microti* 1935, 21, 455
- A check-list and host-index of the genus *Haemaphysalis* 1936, 22, 88
- and **Roundbush, R. L.** A catalog and host-index of the genus *Plasmodium* 1936, 22, 338
- Some notes on cestodes from Nebraska 1936, 22, 409
- A catalog and host-index of the genus *Leucocytozoon* 1937, 23, 202
- and **West, E.** Some notes on the effect of atabrine on the gametocytes of the genus *Leucocytozoon* 1937, 23, 227
- See Meserve and Coatney 1937, 23, 313
- A strain of *Plasmodium relictum* from doves and pigeons (ab) 1937, 23, 556
- A study of periodicity and synchronicity of the pigeon strain of *Plasmodium relictum* (ab) 1938, 24 Suppl, 18
- and **West, E.** A study of *Haemaphysalis sacharovi* in pigeons and mourning doves with notes on *H. maccallumii* of mourning doves (ab) 1938, 24 Suppl, 21
- and **Young, M. D.** The effect of colchicine on bird malaria 1939, 25, 446
- See Young et al 1939, 25 Suppl, 15
- Cobb, Margaret V.** N. A. Cobb: New nematode genera and species, with taxonomic notes 1933, 20, 81
- Cobb, N. A.** Rhabditin 1914, 1, 40
- [New species of free-living nematode] PHS 1915, 1, 154
- [*Bianonema* sp.] PHS 1915, 1, 200
- [Note bearing on parthenogenesis] (PHS) 1915, 2, 95
- [Mechanism of spinneret of free-living nematode] PHS 1915, 2, 95
- [Notes on new genera and species of nematodes. Antarctic nematodes] (PHS) 1916, 2, 195
- Recipe of *Cephalobus* (PHS) 1916, 2, 195
- A new form of nematode hermaphroditism (PHS) 1916, 2, 195
- Subdivisions of *Mononchus* (PHS) 1916, 2, 195
- Finder slides (PHS) 1916, 2, 196
- Notes on filter-bed nematodes. Predaceous nematodes (PHS) 1916, 2, 198
- Syngonism and parthenogenesis; cryptogenesis (PHS) 1916, 2, 198
- Revision of the genus *Cylindrolaimus* (PHS) [Errata 2, 208] 1916, 2, 199
- *Tetradenca plicans* nov. gen. et spec., representing a new family, Tetradenematidae, as now found parasitic in larvae of the midge-insect *Sciara coprophila* Lintner 1919, 5, 176
- A newly discovered parasitic nematode (*Tylenchus mahoani*, n. sp.) connected with a disease of the mahogany tree 1920, 6, 188
- Bursal formula for *Rhabditis* (PHS) 1920, 6, 198
- [Use of polariscope in determining character of cell inclusions in nemas] PHS 1920, 6, 200
- Notes on *Tylenchus benthami* and *T. decastatrix* (PHS) 1920, 7, 95
- [Apparatus useful in collection of parasites] PHS 1920, 7, 97
- [Effect of X-rays on gall nematode *Heterodera radicicola*] PHS 1920, 7, 101
- [*biqualida silvatic* in rotten peaches] PHS 1921, 7, 186
- [Serious disease of coconut palm] 1924, 11, 96
- due to nematodes: nematode from hot springs: further study of rhabditin] PHS 1921, 7, 195
- [Nematodes collected by Canadian Arctic Expedition under Stefansson] PHS 1921, 7, 195
- [Floating of free-living nematode larvae] PHS 1921, 8, 93
- [Note on importance of nemas] PHS 1921, 8, 94
- [Apparatus for exhibiting small specimens; live nemas in methyl violet and neutral red] PHS 1921, 8, 94
- [Federal activities in preventing introduction into this country of plant pests] PHS 1921, 8, 95
- How certain apogonotopic nemas climb on a dry surface (PHS) 1922, 9, 36
- *Haecridula benigna*: a nematode parasite of the cucumber beetle (*Dibractis*) (PHS) 1922, 9, 36
- [Larval nemas from dung beetle, *Aphodius fuscicornis*] PHS 1922, 9, 37
- Notes on the adhesion-tubes of *Draconema cephalatum* (PHS) 1922, 9, 38
- [Coconut nema of Panama] PHS 1922, 9, 44
- Salivary glands of the nematode genera *Tylenchus* and *Aphelenchus* (PHS) 1923, 9, 236
- The derids ("cervical papillae") of nemas (PHS) 1923, 9, 237
- Revival of desiccated nemas (PHS) 1923, 9, 237
- [Fungi parasitic on worms] PHS 1923, 9, 239
- Interesting features in the anatomy of nemas (PHS) 1923, 9, 242
- [Desirability of more careful examination of labial papillae of parasitic nemas] PHS 1923, 9, 244
- [Observations on larvae of *Necator americanus*] PHS 1923, 9, 246
- Interesting new genus of nemas inhabiting nests of tropical ants (PHS) 1924, 10, 209
- [Solution strengths to keep nemas alive] PHS 1924, 10, 211
- [Nema with ingested spicule of another nema: nemas in prepared fish foods] PHS 1924, 10, 211
- [Note on jointed setae of nematodes] PHS 1924, 10, 217
- [Importation of *Tylenchus dipsaci* on seeds from South Africa] PHS 1924, 11, 96
- [*Iota erataloides* n. sp. and the amphids of the triplonchs] (PHS) 1924, 11, 102
- *Tylenchus dipsaci* from South Africa (PHS) 1924, 11, 102
- Minute birefringents in living cells (PHS) 1924, 11, 102
- Removing nemas from soil by floatation (PHS) 1924, 11, 105
- *Necrophysaster tropica* n. sp. 1924, 11, 105
- Nemas on commercial seed (PHS) 1924, 11, 107
- Amended characterization of the nematode genera *Cephalobus* and *Acrabdes* (PHS) 1924, 11, 108
- Amphids of the oxyurids (PHS) 1924, 11, 108
- Specialization in the cells of the intestine of nemas (PHS) 1924, 11, 108
- Small Syrcause watchglasses (PHS) 1924, 11, 109
- Notes on the amphids of nemas (PHS) 1924, 11, 110
- [Preparation of cestodes and trematodes] PHS 1924, 11, 115
- Food of rhabditis and their relatives, with descriptions of two new rhabditis and a new rhabditoid genus (PHS) 1924, 11, 116
- The amphids of *Cocconema* (nom. nov.) and of other nemas (PHS) 1924, 11, 118
- Pores in the cuticula of *Trichinella spiralis* (Owen) (PHS) 1924, 11, 120
- A nema parasitic in a nema (PHS) 1924, 11, 120
- A new illumination for high magnification (PHS) 1924, 11, 121
- A new nematoid infesting another nema (PHS) 1925, 11, 217
- Deceptive artificial lipid (PHS) 1925, 11, 218
- *Rhabditis icarostensis*, injurious in dewooling sheepskins: with observations on the male copulatory organs of this nema (PHS) 1925, 11, 218
- [Development of larvae in utero of *Rhabditis icarostensis*] PHS 1925, 11, 219
- [Organs of nemas] PHS 1925, 11, 222
- A rare nema, *Pentolaimus papillatus* de Man (PHS) 1925, 11, 225
- The species of *Merris*, a group of very remarkable nemas infesting insects 1926, 13, 66

- [Nematodes from gut of *Uthelobolus argenteipes* from India] PHS 1926, 13, 83
- [Species of *Rhabdias* occurring in *Bufo* spp. and a salamander] PHS 1926, 13, 88
- A larval nematode infesting carp ponds (*Pachyvellops sinatus*) in fresh and salt ponds in southeastern Massachusetts 1927, 14, 43
- Note on a new nematode, *Aphelenchus retusus*, with a proposed division of *Aphelenchus* into three subgenera (PHS) 1927, 14, 57
- and **Christie, J. R.** [Preliminary note on *Rhizoglyphis* (*Isacis* Skirjabin, 1914; (?) *Isacis* Baylis and Daubney, 1926; new *Isacis*, Lespes, 1886)] PHS 1927, 14, 62
- *Myolabia* (PHS) 1927, 14, 64
- [Derivatives of term "gamas"] PHS 1927, 14, 64
- [A parasite of *Pachyvellops sinatus*] PHS 1927, 14, 66
- [New species of *Diphlogaster* from Central Africa] PHS 1927, 14, 66
- [New species of nematode found parasitic in millipedes, fixed with aid of thermolite] PHS 1927, 14, 66
- and **Steiner, G.** [Need for more intensive study of certain Aphelenchi] PHS 1927, 14, 68
- *Tylenchus penetrans* Cobb (PHS) 1927, 14, 71
- Nematic spermis of new form (PHS) 1927, 14, 71
- *Aphelenchus parvicornis* Bastian (PHS) 1927, 14, 71
- [New species of screw nematode, *Ascarophis*, from gills of sting-ray; peculiar striation of cuticular] PHS 1928, 14, 199
- [Diseased narcissus bulbs from France] PHS 1928, 15, 68
- Fossorial of *Syringolaimus* (PHS) 1928, 15, 69
- Nematized teard seed (PHS) 1928, 15, 69
- Amphids of the nematode *Physaloptera phrynosoma* (PHS) 1928, 15, 70
- [Spicula of new species of *Spironoura*; optical cross sections of nematode heads in cephalic aspect] PHS 1928, 15, 71
- *Spiroscys amygdalae* n. sp. (PHS) 1929, 15, 217
- [*Physaloptera phrynosoma* Oud-
- lepp, 1922, changed to *Scriabinobolus* (*Chidaphysoma*) *phrynosoma*] PHS 1929, 15, 218
- [*Tylenchus dipsaci* slowly spreading in United States] PHS 1929, 15, 220
- The stem-nematode *Tylenchus dipsaci*, its movement in commerce, and its reaction to hydrocyanic acid gas (PHS) 1929, 15, 283
- The nematic genus *Sphaerolaimus* Bastian composed of carnivorous forms (PHS) 1929, 15, 284
- Nemas of the genus *Dorylaimus* attacking the eggs of mites (PHS) 1929, 15, 284
- Characteristics of carnivorous free-living nemas including predators (PHS) 1929, 15, 284
- Amphids of the mackerel nematode (PHS) 1929, 15, 285
- *Crenoscaris collaris* n. g., n. sp., a nematode parasite of the Caribbean fish, *Gobiomorus maculatus* (PHS) 1929, 15, 287
- Distribution of the stem nematode in the U. S. A. (PHS) 1929, 15, 290
- Syngonism in oxyurids (PHS) 1929, 15, 291
- and **Bisset, P.** Hotwater treatment of root gall (PHS) 1929, 15, 291
- Notes on methods of combating the stem nematode, *Tylenchus dipsaci* (PHS) 1929, 15, 291
- The dominant vessels in female nemas of the genus *Oncolaimus* (PHS) 1930, 16, 159
- [Double renette cells in many species of nemas] PHS 1930, 16, 169
- [Nema injuries in rearing slash pine] PHS 1930, 17, 52
- A nematode parasite of *Pecten* 1930, 17, 104
- [Notes on nemas] PHS 1931, 17, 230
- [The spermat of nemas] PHS 1931, 17, 232
- [A very asymmetrical nematode, *Buonema inequale*, n. sp.] PHS 1931, 17, 232
- [The marine nematode, *Metoncholaimus pristinus*, (Zur Strassen) as a subject for class room work in zoology] PHS 1932, 19, 94
- New nematic genera and species, with taxonomic notes (Edited by Margaret V. Cobb) 1933, 20, 81
- Cole, Peter A. and Brackett, F. S.** Demonstration of ultraviolet microscopy (ab) 1939, 25 Suppl, 22
- Collier, Jane and Boeck, W. C.** The morphology and cultivation of *Embodonimus emicudi* n. sp. 1926, 12, 131
- Collins, Benjamin J.** See Stiles and Collins 1929, 15, 291
- See Hall and Collins 1936, 22, 532
- See Hall and Collins 1936, 22, 533
- Collins, Willis W.** A description of *Cercaria flexicarpa* n. sp. 1935, 21, 18
- Conklin, R. L. and Baker, A. D.** Presence of the lancet fluke, *Dicrocoelium dendriticum* (Rudolphi) 1930, 17, 18
- Connery, Joseph E.** See Curran et al 1935, 21, 126
- Cooley, R. A.** Killing small arthropods with the legs extended 1914, 4, 105
- Two new dermactentors from Central America 1937, 23, 259
- The Rocky Mountain spotted fever tick, *Dermacentor andersoni* (ab) 1937, 23, 534
- Cooper, A. R.** See Job and Cooper 1917, 3, 138
- A morphological study of bathycephalid cestodes from fishes 1917, 4, 33
- Cooper, Corinne** The effects of aqueous solutions of crude ammonium thiocyanate upon the larvae of the root knot nematode, *Caconema radicola* (PHS) 1933, 20, 64
- Report of a few preliminary tests on the effect of some arsenic compounds on some plant parasitic nemas (PHS) 1933, 20, 70
- The effect of various dilutions of derris extract and rotenone upon the stem or bulb nematode (*Tylenchus dipsaci* Kühn) (PHS) 1933, 20, 74
- Corder, Margaret N.** Observations on the length of dormancy in certain nematodes infesting plants (PHS) 1933, 20, 104
- Coria, N. A.** See Glaser and Coria 1933, 20, 33
- See Glaser and Coria 1935, 21, 190
- Corradetti, Augusto** *Giardia enterica* (Grassi, 1881), the correct name for the *Giardia* of man 1935, 21, 310
- Some microchemical observations on ciliates of the genera *Balanitidium* and *Nyctatheris* 1935, 21, 393
- Cort, William Walter** Larval trematodes from North American fresh water snails 1914, 4, 65
- *Gordius* larvae parasitic in a trematode 1915, 1, 198
- Egg variation in a trematode species 1915, 2, 25
- Homologies of the excretory system of the forked tailed cercariae 1917, 4, 49
- The excretory system of *Levinsodistomum maricani* (La Rue), the agamodistome stage of a fork-tailed cercaria 1918, 4, 130
- Adaptability of schistosome larvae to new hosts 1918, 4, 171
- A new *Cercariacium* from North America 1918, 5, 86
- On the resistance to desiccation of the intermediate host of *Schistosoma japonicum* Katsurada 1919, 6, 84
- and **Nichols, E. B.** A new cystophorous cercaria from California 1920, 7, 8
- A peculiar modification of the tail in a cercaria (PHS) 1920, 7, 95
- [Abnormal specimen of *Taenia saginata*] PHS 1920, 7, 96
- [Species of fluke from man in Japan] PHS 1921, 7, 186
- [Eggs of *Metagonimus yokogawai* confused with eggs of *Clonorchis sinensis*] PHS 1921, 7, 187
- [*Echinostoma perfoliatum* var. *japonicum* from man] PHS 1921, 7, 196
- [Course taken by larvae of *Schistosoma japonicum*] PHS 1921, 7, 196
- and **Yokogawa, S.** A new human trematode from Japan 1921, 8, 66
- [Passage of schistosome eggs through tissue] PHS 1921, 8, 62
- [Effect of light or heat on hookworm larvae] PHS 1921, 8, 63
- [Apparatus for recovering hookworm larvae from soil on large scale] PHS 1921, 8, 93
- A study of the escape of cercariae from their snail hosts 1922, 8, 177
- [Five per cent formaldehyde killed free-living nemas in soil, but not hookworm larvae] PHS 1922, 9, 36
- [Hookworm larvae must die rapidly during dry season] PHS 1922, 9, 36
- [Asthma and hookworm disease in Trinidad] PHS 1922, 9, 43

- [Note on fork-tailed cercariae] 1922, 9, 45
- [Large number of cases of *H. nana* in the South] PHS 1922, 9, 48
- [Size differences in *Clonorchis sinensis* and *C. endemicus*] PHS 1924, 10, 208
- [Weak saline solutions for para sites] PHS 1924, 10, 211
- [Morphological difference between infective larvae of *Incystostoma dionidei* and *Axeator americanus*] PHS 1925, 11, 228
- Notes on the effect of burial on infective hookworm larvae 1925, 12, 33
- Epidemiology of hookworm disease in China (PHS) 1925, 12, 107
- The development of *Alouadistomum marciannae* (La Rue) (PHS) 1925, 12, 114
- and Brooks, S. T. Studies on the holostome cercariae of Douglas Lake, Michigan (ab) 1926, 12, 159
- and Studies on the holostome cercariae of Douglas Lake, Michigan (PHS) 1926, 12, 179
- [*Microgalidicus* Chandler, synonym of *Diplodiscus* Dres.] PHS 1926, 12, 180
- Dr. Ranson's contributions to parasitology 1926, 13, 1
- See Stoll et al 1927, 13, 166
- See Stoll et al 1927, 13, 226
- [Factors of race and nutrition in determining effects of hookworm infestation in Panama] PHS 1927, 14, 67
- See Brown and Cort 1927, 14, 88
- [Recent *Ascaris* investigation in China] PHS 1930, 17, 52
- Recent investigations on the epidemiology of human ascariasis 1931, 17, 121
- See Foster and Cort 1931, 18, 117
- See Foster and Cort 1931, 18, 117
- See Foster and Cort 1932, 18, 308
- [Types of hookworm disease in dogs] PHS 1932, 19, 84
- Professor Henry Baldwin Ward and the Journal of Parasitology 1932, 19, 99
- Variations in hookworm disease 1932, 19, 142
- See Otto and Cort 1932, 19, 179
- See Nolf and Cort 1933, 20, 38
- See Otto and Cort 1934, 20, 245
- McMullen, D. B., and Brackett, S. Double infestations of snails with the cercariae of digenetic trematodes (ab) 1935, 21, 433
- See Foster and Cort 1937, 23, 83
- and Brackett, S. Two new species of strigeid cercariae from the Douglas Lake region, Michigan 1937, 23, 265
- and Identification of strigeid cercariae by differences in their behavior during free life 1937, 23, 297
- McMullen, D. B. and Brackett, S. Ecological studies on the cercariae in *Stomatocystis emarginata angulata* (Sowerby) in the Douglas Lake region, Michigan 1937, 23, 504
- and Brackett, S. Previsions de developement of the metacercaria stage of *Diplostomum flexicaudum* in the snail intermediate host 1937, 23, 545
- and A new strigeid cercaria which produces a bloat disease in tadpoles (ab) 1937, 23, 563
- McMullen, D. B. and Olivier, L. Larval trematode infection in juveniles of *Physa parkeri* Carrier (ab) 1938, 21 Suppl, 25
- and Brackett, S. A new strigeid cercaria which produces a bloat disease in tadpoles 1938, 24, 263
- McMullen, D. B. and Brackett, S. A study of larval trematode infections in *Helisoma campniatum smithii* (Baker) in the Douglas Lake region, Michigan 1939, 25, 19
- Olivier, L. and Brackett, S. The larval stages of the gull strigeid, *Diplostomum flexicaudum*, in juveniles and adults of *Stomatocystis emarginata angulata* (ab) 1939, 25 Suppl, 8
- Courtney, W. D. A new host of *Tylenchus dipsoci* (Kühn) from Oregon (PHS) 1933, 20, 65
- Coutant, Albert F. The habits, life history, and structure of a blood-sucking muscid larva (*Protocalliphora azurea*) 1915, 1, 135
- Cox, Herald R. See Philip and Cox 1936, 22, 542
- Craig, Charles F. New varieties and species of malaria plasmodia 1914, 1, 85
- The nuclear structure of *Dientomoeba fragilis* 1926, 13, 137
- and St. John, J. H. The value of cultural methods in surveys for parasitic amoebae of man (ab) 1927, 13, 225
- Complement fixation in the diagnosis of infections with *Eudamoeba histolytica* (ab) 1927, 14, 126
- Some unsolved problems in the parasitology of amebiasis 1936, 22, 1
- Cram, Eloise B. See Ransom, and Cram 1921, 7, 196
- A case of nautism in *Strongylus vulgaris* and observations on the lead crowns in species of *Strongylus* (PHS) 1921, 7, 188
- New records of horse strongyles from the United States (PHS) 1922, 9, 49
- Crassosoma arosulatum* in the United States (PHS) 1922, 9, 49
- [*Gonyolancina induticicola* Ransom from midlateral portion of esophagus of domestic fowl] PHS 1923, 9, 238
- [Specimen of *Contracaecum osculatum* from sea-fowl] PHS 1923, 9, 238
- Hymenolepis tenuirostris*, the apparent cause of losses among American geese (PHS) 1924, 10, 217
- New records of horse strongyles (PHS) 1924, 11, 91
- A specimen of *Belascaris marginata* with three uteri and ovaries (PHS) 1924, 11, 91
- Cysticercus* (?) *harandi* from the musculature of a deer (PHS) 1924, 11, 92
- A case of *Paragonimus* in a cat (PHS) 1924, 11, 105
- A case of massive infestation with hydatids in a pig (PHS) 1924, 11, 105
- The presence of *Bertiella delatoidi* in the pigeon (*Columba domestica*) in the United States (PHS) 1924, 11, 115
- [Certain phases of life history of a spirurid] PHS 1924, 11, 117
- [Two males attached to female specimen of *Cylicostomum ultrajacintum*] PHS 1925, 11, 219
- A new genus, *Cylicostomus*, and notes on other genera of the cyclostomes of horses (PHS) 1925, 11, 229
- Capillaria melcagris-galloperu* from a turkey at Bethesda, Md. (PHS) 1925, 11, 230
- Paramphistomum cervi* from the gullet of a cow (PHS) 1925, 11, 230
- New records of economically important nematodes in birds (PHS) 1925, 12, 113
- Subadara brumpti* from the turkey in Porto Rico (ab) 1926, 12, 164
- Note on larval tapeworms in the gizzard of a duck (PHS) 1926, 12, 178
- New records of nematodes of birds (PHS) 1926, 12, 180
- Redescription of *Taenia leahleri* Montez 1926, 13, 34
- Nematodes of pathological significance found in economically important birds in North America (ab) 1927, 13, 223
- New record of *Probstospirina hoi-neri* (PHS) 1927, 14, 54
- A case of abnormal development in *Taenia balaniceps* (PHS) 1927, 14, 54
- [New records of distribution for various nematodes] PHS 1927, 14, 70
- [Spurious parasites] PHS 1928, 11, 202
- Note on parasites of rats (*Rattus norvegicus* and *R. norvegicus albus*) (PHS) 1928, 15, 72
- Observations on the life history of the swine stomach worm, *Physoccephalus scrofulatus*, in the United States (ab) 1928, 15, 136
- [Life history of gizzard worm of ruffed grouse and bobwhite quail] PHS 1929, 15, 285
- A species of *Strongyloides* from the ceca of chickens (PHS) 1929, 15, 292
- The life history of *Tetrameres americana* (Cram, 1927) Baylis, 1929 a spirurid of the proventriculus of chickens (PHS) 1929, 15, 292
- [*Forcellio scaber* as intermediate host of *Dispharynx spiralis* of birds in this country] PHS 1930, 16, 169
- New host records for *Strongyloides acium* (PHS) 1930, 17, 55
- Aberrant larvae of *Physoccephalus scrofulatus* in birds (PHS) 1930, 17, 56
- Tapeworm disease of birds in Alaska (PHS) 1930, 17, 56
- "Poultry ascariid" as a common name for *Acaridia lineata* (PHS) 1930, 17, 56
- New records of nematodes in domestic birds (PHS) 1931, 18, 48

- A comparison of internal parasites of ruffed grouse of Labrador with those of ruffed grouse of the United States (PHS) 1931, 18, 48
- Life history of *Endostomum anseris* (PHS) 1931, 18, 48
- The cockroach, *Blattella germanica*, as an intermediate host of *Leishmania americana* of poultry (PHS) 1931, 18, 52
- and **Cuvillier, E.** *Oenithostromyxis quadrivittatus* of pigeons: observations on its life history, pathogenicity and treatment (tab) 1931, 18, 116
- New host records for *Dispharynx spiralis* (PHS) 1932, 19, 93
- Additional observations on bird hosts of *Dispharynx spiralis* (PHS) 1932, 18, 310
- New records of nematodes of birds (PHS) 1932, 19, 93
- A new species of *Tetranychus* from the bobwhite (PHS) 1933, 19, 245
- *Eustrongylides ignotus* from the black-crowned night heron (PHS) 1933, 20, 71
- *Habronema incerta* (Smith, Fox and White, 1908) (genode, 1922) in a new bird host and in a new locality (PHS) 1933, 20, 74
- Observations on the life history of *Tetranychus pallens* (PHS) 1933, 20, 97
- Observations on the life history of *Scirocyra colini* (PHS) 1933, 20, 98
- and **Cuvillier, E.** Observations on *Trichostrongylus tenuis* infestation in domestic and game birds in the United States (tab) 1933, 20, 128
- Species of *Capillaria* parasitic in the upper digestive tract of domestic and game birds (tab) 1934, 20, 334
- and **Reardon, L.** Studies on oxyuriasis. III. Epithelio-flagellar findings in Washington, D. C. (tab) 1937, 23, 567
- See Jones, Cram and Wright 1937, 23, 571
- and **Folan, J. P.** Intestinal helminths found in boys recently arrived in Washington, D. C., from various parts of the United States (tab) 1938, 24 Suppl. 23
- Crawford, Wiley W.** A further contribution to the life history of *Holostelium corbi* (Lamour) with special reference to dragonfly naiads as second intermediate hosts 1937, 23, 389
- Observations on the life cycle of *Levinseniacearum* Nickerson (Trematoda) 1938, 24, 35
- Studies on the life history of Colorado trematodes (tab) 1939, 25 Suppl. 29
- Crawley, Howard** [Note on geometrical ratio of multiplication in increase of protozoa in infestation] PHS 1915, 1, 302
- Note on the stage of *Piraplasma biguttatum* which occurs in the cattle tick, *Hyalomma annulatum* 1915, 2, 87
- Crooks, Kenneth B. M.** Cross infection experiments on parasite free chicks with intestinal coccidia from the rabbit 1931, 21, 277
- Gross, Samuel X.** Multiple infections of *Taenia saginata* produced experimentally (tab) 1932, 19, 156
- Some host parasite relationships of fish parasites of the trout lake region of northern Wisconsin (tab) 1933, 20, 132
- A probable case of non-specific immunity between two parasites of discoses of the trout lake region of northern Wisconsin 1934, 20, 244
- Iron conservation and utilization by dogs with hookworm anemia (ab) 1934, 20, 337
- See Landsberg and Cross 1935, 21, 130
- The effect of parasitism on growth of perch in the trout lake region 1935, 21, 267
- See Herrick and Cross 1936, 22, 126
- See Harwood et al 1936, 22, 532
- Crossman, Louise** See Christie and Crossman 1933, 20, 69
- Preliminary observations on the life history and morphology of *Tylocephalic bacilliformis* n. g., n. sp., a nematode related to the genus *Heterosoma* (PHS) 1933, 20, 106
- Crouch, H. B.** Four new species of *Trichostrongylus* from the woodchuck (*Marmota monax* Linn.) 1933, 19, 293
- Crum, J. D.** See Nolf and Crum 1937, 23, 574
- Cuckler, Ashton C.** and **Fichter, E.** Gregarines from the crab, *Cancer productus* 1930, 25, 184
- *Nidularia onychantis* n. sp. (Nematoda: Thelazidae) from the grasshopper mouse, *Onychomys leucogaster* (Wied.) 1939, 25, 431
- Culbertson, James T.** The cercarialidal action of normal serum 1936, 22, 111
- and **Kaplan, S. S.** Passive immunity in experimental trichiniasis (tab) 1937, 23, 500
- **Kolodny, M. H.** and **Duca, C. J.** Age resistance of rats against *Trypanosoma lewisi* and *Trypanosoma cruzi* (tab) 1938, 24 Suppl. 32
- Natural transmission of immunity against *Trypanosoma lewisi* from mother rats to their offspring 1938, 24, 65
- and **Kolodny, M. H.** Acquired immunity in rats against *Trypanosoma cruzi* 1938, 24, 83
- The immunization of rats of different age groups against *Trypanosoma lewisi* by the administration of specific antiserum per os 1939, 25, 181
- Transmission of resistance against *Trypanosoma lewisi* from a passively immunized mother rat to young nursing upon her 1939, 25, 182
- Prophylaxis of mice against experimental *Trypanosoma equiperdum* infection by the periodic administration of germanin 1939, 25, 443
- and **Rose, H. M.** Allergic skin reactions in human echinococcus infection with antigens from related taenias (tab) 1939, 25 Suppl. 30
- Curran, Jean A., Connery, J. E.** and **Goldwater, L. J.** A study of intestinal parasitism in New York City 1935, 21, 126
- Curtice, C.** [Sheep prefer hill pastures] PHS 1922, 9, 35
- [Acanthodirus in sheep, a serious pest] PHS 1922, 9, 39
- Cushing, E. C.** See Ibbot and Cushing 1933, 20, 138
- Curtler, Jessie T.** See Harwood et al 1936, 22, 532
- Cuvillier, Eugenia** See Cram and Cuvillier 1931, 18, 116
- Artificial infestation of the English sparrow, *Passer domesticus domesticus*, with the gapeworm, *Syngamus trachea* (PHS) 1932, 19, 93
- A new intermediate host for *Chilosporium hamulosa*, the gizzard worm of poultry (PHS) 1933, 19, 244
- and Jones, M. F. Two new inter-
- mediate hosts for the poultry cestode, *Hymenolepis variova* (PHS) 1933, 19, 245
- and — Comparative data relative to incidence of worm parasites in confined and non confined chickens (PHS) 1933, 19, 251
- See Cram and Cuvillier 1933, 20, 128
- Daengsvang, Svasti** See Foster and Daengsvang 1932, 18, 245
- See Pronamas and Daengsvang 1933, 19, 287
- See Pronamas and Daengsvang 1936, 22, 180
- See Pronamas and Pronasopre 1937, 23, 115
- Daniel, George D.** [Respiratory quotient of *Balantidium coli*] PHS 1931, 17, 232
- Darling, Samuel T.** Sarcosporidia encountered in Panama 1915, 1, 113
- Sarcosporidiosis in an East Indian 1919, 6, 98
- Human hookworm infestation in hillside residents] PHS 1922, 9, 35
- The occurrence of *Ancylostoma braziliense*, de Faria 1910 in the Philippine Islands 1923, 9, 234
- Das Gupta, B. M.** The occurrence of a *Trypanosoma* sp. in the caecum of turtles 1935, 21, 125
- *Tetramastix amblystoma*, a new species of flagellate protozoan from the salamander, *Ambystoma* 1935, 21, 223
- Daubney, R.** [Ataxca lamulis breeding in burning manure] PHS 1920, 7, 100
- [Note on lungworms, *Dictyocephalus filaria* and *D. viviparus*] PHS 1920, 7, 161
- The life cycle of *Monicia expansa* 1932, 19, 5
- Davey, D. Garnet** See Augustine and Davey 1939, 25, 117
- Davis, Dorland J.** Report on the preparation of an histolytic ferment present in the bodies of cercariae 1936, 22, 408
- Pathological studies on the penetration of the cercaria of the striped trematode, *Diplostomum flexuranthum* 1936, 22, 329
- Davis, Gordon E.** See [Johnson et al 1937, 23, 535

- See Philip and Davis 1938, 24 Suppl., 12
- Davis, H. S.** A new myxosporidian parasite of the channel catfish, *Lithobates punctatus* 1922, 8, 148
- Observations on an intestinal flagellate of trout 1923, 9, 153
- Davis, Nelson C. and Reich, W. W.** Notes on cercarial dermatitis from domestic animals in California 1924, 10, 137
- Attempts to transmit yellow fever virus with *Tritanoma megaris* (Burrmeister) 1933, 19, 209
- An investigation of possible vectors of *Haemaphysalis bancrofti* (Cobbold) in Bahia, Brazil 1935, 21, 21
- Dawley, Charlotte W.** See Miller and Dawley 1927, 14, 122
- See Miller and Dawley 1928, 15, 87
- De Coursey, J. D.** See Kudo and De Coursey 1939, 25 Suppl., 17
- De Giusti, Dominic L.** Preliminary note on the life cycle of *Leptorhynchoides thecatus*, an acanthocephalan parasite of fish 1939, 25, 180
- Further studies on the life cycle of *Leptorhynchoides thecatus* (ab) 1939, 25 Suppl., 22
- Delaune, Elaine T. and Mayhew, R. L.** Studies on the bovine blood picture in hookworm (*Bunostomum phlebotomum*) and nodular worm (*Oesophogostomum radiatum*) infections (ab) 1939, 25 Suppl., 36
- Dennis, Emory Westervelt** See Turner et al 1935, 21, 180
- See Turner et al 1936, 22, 14
- See Turner et al 1937, 23, 43
- A stable concentrated purified antigen for the immunological study of hydatid disease 1937, 23, 62
- Denton, J. Fred** See Byrd and Denton 1938, 24, 379
- Dickerman, E. Eugene** A new cystocercous cercaria with notes on its life cycle (ab) 1931, 18, 116
- Cystocercous cercariae of the mirabilis group from Lake Erie snails (ab) 1937, 23, 566
- Dickey, Lloyd B.** A new amphibian cestode 1921, 7, 129
- Dikmans, G.** See Price and Dickmans 1929, 16, 104
- [*Ostertagia lyrata* in cattle in Louisiana] PHS 1930, 16, 162
- [*Fasciola hepatica* in bile ducts of rabbit in Louisiana] PHS 1930, 16, 162
- *Capillaria brevis* in cattle (PHS) 1930, 17, 52
- An oxurid from the deer (PHS) 1930, 17, 52
- Male specimen of *Trichostrongylus delicatus* from cattle [PHS] 1930, 17, 55
- *Ascaridia unidax*, a parasite of the guinea hen, *Nannita melagris*, in Louisiana (PHS) 1931, 17, 230
- Larvae of *Dermatobia* collected from sheep in New Mexico (PHS) 1931, 18, 46
- An interesting tapeworm from the cat in Louisiana (PHS) 1931, 18, 47
- Demodectic mange in a cow [PHS] 1931, 18, 47
- and **Stinker, M. S.** Cysticercus from the leg muscles of a mule deer, *Odocoileus hemionus hemionus* (PHS) 1931, 18, 55
- *Nematodirus helveticus* in the United States (PHS) 1931, 18, 56
- *Eucolona aerophilus* in the cat in the United States (PHS) 1931, 18, 56
- *Ucinaria* from *Melchitis mesomelas mesomelas* (PHS) 1931, 18, 56
- *Nematodirella longispiculata* from the mouse, *Alveus americanus americanus* (PHS) 1932, 18, 303
- Cysticercus tenuicollis from Newfoundland caribou, *Rangifer tarandus terraenovae* PHS 1932, 19, 83
- A case of aberrant parasitism (PHS) 1932, 19, 83
- *Ostertagia marshalli* from the mountain sheep, *Ovis canadensis*; *Ostertagia marshalli* and *O. occidentalis* from a deer, probably *Odocoileus hemionus hemionus*, both from the Yellowstone National Park (PHS) 1932, 19, 83
- [*Skrjabinema ovis* from goats in Beltsville, Md.] PHS 1932, 19, 84
- The pocket gopher, *Thomomys hepaticola hepatica* (PHS) 1932, 19, 84
- *Ascaris* infestation in the liver of a calf (PHS) 1932, 19, 85
- On the distribution of anaplasmosis in the United States and the ticks experimentally determined as vectors of the disease (PHS) 1932, 19, 85
- *Protostrongylus microtis* from the black-tailed deer, *Odocoileus columbianus* (PHS) 1932, 19, 89
- *Ostertagia adocilei* from the fourth stomach of a deer, *Odocoileus virginianus*, in Louisiana (PHS) 1932, 19, 90
- *Cooperia pectinata* from the sable antelope, *Egyrocerus niger* (PHS) 1932, 19, 90
- Tapeworm cysts from the oesophagus of sheep (PHS) 1932, 19, 90
- *Cooperia nicolli* Baylis, 1929, a synonym of *Cooperia pectinata* Reardon, 1911 (PHS) 1932, 19, 93
- The antelope, *Antilocapra americana*, a new host of the lungworm *Protostrongylus microtis* (PHS) 1932, 19, 93
- A trichostrongylid nematode erroneously placed in the genus *Pelodera* (PHS) 1932, 19, 93
- A nematode, *Setaria labiato-papillosa* from the udder of a cow (PHS) 1933, 19, 246
- *Oncocerca gutturosa* [sic] from the cervical ligament of cattle in Puerto Rico (PHS) 1933, 19, 246
- *Oncocerca flexuosa* from the subcutaneous tissues of an antelope and from subcutaneous abscesses of a deer (PHS) 1933, 19, 246
- The localization of *Ostertagia* in the host animal (PHS) 1933, 20, 65
- *Antilocapra americana* an additional host of *Nematodirella longispiculata* (PHS) 1933, 20, 107
- and **Andrews, J. S.** A note on the life history of *Ostertagia circumcincta* (PHS) 1933, 20, 107
- and — A note on the time of survival of larvae of *Haemonchus contortus*, *Ostertagia circumcincta*, and *Nematodirus spathiger*, on pastures (PHS) 1933, 20, 167
- Cooper Currice (1856-1939) 1939, 25, 517
- Dobrovolsky, Charles G.** Embryology and life histories of some trematodes of the genus *Plagiophorus* (ab) 1938, 24 Suppl., 24
- Host parasite relationship of larval trematodes in oligochaete worms (ab) 1938, 24 Suppl., 26
- The life history of *Plagiophorus hepomis*, a new trematode from fishes 1939, 25, 461
- Seasonal variation in emergence of corylocoercous cercariae (ab) 1939, 25 Suppl., 24
- Donohoe, Heber C.** Notes on the black widow spider in the San Joaquin Valley 1937, 3, 424
- Douglas, J. R.** See Stewart and Douglas 1937, 3, 569
- Dove, Walter E. and White, G. F.** Further studies on the causation of creeping eruption (ab) 1927, 14, 221
- See White and Dove 1927, 14, 58
- Some studies on the biology of *Lucylostoma brazilense* and its relation to creeping eruption (ab) 1927, 14, 121
- See Kirby-Smith et al 1927, 14, 121
- See White and Dove 1927, 14, 122
- [*Lucylostoma brazilense* and *A. caninum* in dogs of Dallas, Texas: nine cases of creeping eruption in Dallas during the summer] PHS 1928, 14, 199
- An intestinal infection of *Lucylostoma brazilense* in a boy and skin lesions produced with larvae from this strain (ab) 1928, 15, 136
- See White and Dove 1928, 15, 149
- See White and Dove 1929, 15, 218
- See Shehaire and Dove 1930, 17, 115
- Recent developments in the transmission of endemic typhus (ab) 1931, 18, 116
- and **Shelmire, B.** Some observations on tropical rat mites and endemic typhus 1932, 18, 159
- See Hull et al 1932, 19, 170
- and **Cushing, E. C.** Warble injuries to reindeer hides (ab) 1933, 20, 138
- and — Migration of warbles in reindeer (ab) 1933, 20, 138
- See Hull et al 1934, 20, 162
- and **Hall, D. G.** Dikes and automatic tide gates in control of sand flies and salt marsh mosquitoes (ab) 1934, 20, 337
- In memoriam: Gershom Franklin White (1873-1937) 1937, 23, 579
- Downing, T. O.** See Thelkeld and Downing 1936, 22, 187
- Downing, Vincent** See McCoy and Downing 1939, 25 Suppl., 33
- Downs, Cornelia M.** See Beahm and Downs 1939, 25, 405
- Drbohlav, Jaroslav J.** The cultivation

- of *Herpetomonas muscarum* (Leidy 1856) Kent 1881 from *Lactinia viridata* 1926, 12, 183
- Duca, C. J.** See Culbertson et al 1938, 24 Suppl, 32
- Duggan, Timothy L.** A clinical survey of Vincent's Angina (ab) 1935, 21, 430
- See Arnold and Duggan
- Dunihue, F. W.** See Stunkard and Dunihue 1933, 20, 137
- Dunn, Lawrence H.** Studies on the screw worm fly, *Chrysomya macellaria* Fabricius in Panama 1918, 4, 111
- The tick as a possible agent in the collection of the eggs of *Haemaphysalis bournoni* 1918, 1, 151
- Studies on the iguana tick, *Amblyomma dissimile*, in Panama 1918, 5, 1
- Notes on two species of South American ticks, *Ornithodoros talaje* Guerin-Mene, and *Ornithodoros venezuelensis* Brumpt 1927, 13, 177
- Studies on the South American tick, *Ornithodoros venezuelensis* Brumpt, in Colombia its prevalence, distribution, and importance as an intermediate host of relapsing fever 1927, 13, 249
- A simple method for collecting adult filarial parasites from muscle tissues of monkeys 1931, 28, 111
- Prevalence and importance of the tropical warble fly, *Dermatobia hominis* Lima, in Panama 1934, 20, 219
- Notes on the occurrence of *Gigantopharynx chinoidicus* Dising in the anteater of Panama 1934, 20, 227
- Ticks from tapirs of Panama 1934, 20, 312
- Duporte, E. Melville.** Notes on the endoparasitic protozoa with a list of some Canadian host plants, and an account of four apparently new forms 1925, 11, 183
- Eaton, Paul** *Piroplasma canis* in Florida 1934, 20, 312
- Edgar, S. A.** See Ackert and Edgar 1938, 24 Suppl, 13
- Edney, J. M.** See Nolf and Edney 1935, 27, 313
- See Nolf and Edney 1937, 23, 567
- Eisenbrandt, L. L.** See Ackert et al 1933, 20, 127
- See Ackert and Eisenbrandt 1933, 20, 129
- See Ackert and Eisenbrandt 1935, 21, 200
- Ekbaum, Ella** Notes on the species of *Triacanthopus* in Canada 1935, 21, 260
- On the maturation and the hatching of the eggs of the cestode *Triacanthopus crassus* Ford from Canadian fish 1937, 23, 293
- Eskey, C. R.** Sylvatic plague (ab) 1937, 23, 534
- Eskridge, Lydia C.** See Broughton et al 1933, 20, 123
- See Hegner and Eskridge 1935, 21, 313
- See Hegner and Eskridge 1936, 22, 408
- See Hegner and Eskridge 1936, 22, 410
- See Hegner and Eskridge 1937, 23, 105
- See Hegner and Eskridge 1937, 23, 225
- See Hegner and Eskridge 1938, 24, 475
- See Hegner and Eskridge 1938, 24, 511
- Essex, Hiram E.** Early development of *Diphyllobothrium latum* in northern Minnesota 1927, 14, 106
- The structure and development of *Coralliobothrium* (ab) 1927, 14, 130
- *Crepidobothrium fragile*, a new species of tapeworm of the channel-cat (*Ictalurus punctatus*) (ab) 1928, 15, 137
- An interesting cestode larva from the liver of the common bullhead (*Ameiurus nebulosus*) (ab) 1928, 15, 137
- and **Bollman, J. L.** Parasitic cirrhosis of the liver in a cat infested with *Opisthorchis pseudofelineus* and *Metrostichus complexus* (ab) 1929, 16, 97
- and **Markowitz, J.** The effect of saline extracts of parasitic worms on the blood pressure of the dog (ab) 1929, 16, 98
- See Schlotthauer and Essex 1929, 16, 104
- **Markowitz, J.** and **Mann, F. C.** Immunity in dogs to aqueous extracts of *Taenia pisiformis* (ab) 1930, 17, 107
- A new larval cestode, probably *Hymenolophis cucullata*, a tapeworm of a wild duck 1932, 18, 291
- Evans, Charles R.** The Branchiobdellidae (Amelidae) on crayfishes of Champaign county, Illinois 1939, 25, 448
- Ewing, Henry E.** A gamasid mite annoying to man 1920, 6, 195
- Notes on the siphonapteran genus *Dorobryella* Jordan and Redfield, together with a description of a new genus and species of fleas 1925, 12, 43
- [*Culex*] larvae in skin of Panama howler monkey, *Alouatta palliata* bicoloratus] PHS 1925, 12, 407
- [Myiasis of box turtle, *Terrapene carolina*, due to larvae suggestive of *Sarcophaga carolina*] PHS 1926, 12, 180
- [Need of indicating in titles of articles describing new species, the orders or families to which these new species belong] PHS 1927, 14, 69
- Some peculiar relationships between ectoparasites and their hosts 1931, 18, 117
- A new mite-producing mite from the scales of a South American snake 1933, 20, 53
- *Neocolpoccephalum*, a new name for the mallophagan genus *Ferrisia* Uchida (PHS) 1933, 20, 65
- The taxonomy of the mallophagan family Trichodectidae, with special reference to the New World fauna 1936, 22, 233
- The sucking lice of American monkeys (ab) 1936, 22, 541
- The sucking lice of American monkeys 1938, 24, 13
- Fallis, A. M.** See La Rue and Fallis 1934, 20, 335
- Fantham, H. B. and Porter, A.** The significance of certain natural flagellates of insects in the evolution of disease in vertebrates 1916, 2, 149
- and — On the natural occurrence of herpetomonads (Leptonomas) in the blood of a fish, *Deuter argyrosona*, and its significance [Ferrata 7, 204] 1921, 7, 16
- See Porter and Fantham 1936, 22, 534
- and **Porter, A.** The pathology of two trematode infections of *Laguncula natanzis* (ab) 1936, 22, 534
- and — Some effects of invasion by Myxosporidia on certain Canadian fishes (ab) 1937, 23, 565
- Farber, Seymour M.** See Theiler and Farber 1932, 19, 169
- Faulkner, D. E. and Kingscote, A. A.** Observations upon the migrations and pathogenesis of *Gasterophilus* larvae 1936, 22, 223
- Faust, Ernest Carroll** Notes on the cercariae of the Bitter Root Valley, Montana 1917, 3, 105
- Studies on Illinois cercariae 1918, 4, 93
- Two new cystocerous cercariae from North America 1918, 4, 148
- The anatomy of *Tetracotyle tharbei* Faust, with a synopsis of described tetracotyliform larvae 1918, 5, 69
- Notes on South African cercariae 1919, 2, 161
- Two new Protozoophoridae 1919, 6, 79
- Criteria for the differentiation of schistosome larvae 1920, 6, 192
- Notes on South African larval trematodes 1921, 8, 11
- Phases in the life history of a helostome, *Cyathostyle orientalis* nov. spec., with notes on the excretory system of the larva 1921, 8, 78
- Notes on *Embothriomanus sinensis*, Faust; and Wassel 1921 1922, 9, 33
- A new type of amoeba parasitic in man observed in North China 1923, 9, 221
- The reactions of the miracidia of *Schistosoma japonicum* and *S. haematobium* in the presence of their intermediate hosts 1924, 10, 199
- Notes on *Ornithobilharzia adhiri* n. sp. from the Asiatic emulow 1924, 11, 50
- [Account of recent experiences in China] PHS 1924, 11, 91
- [Carbon tetrachloride of value against *Uastrobryopsis*] PHS 1924, 11, 93
- [Use of tetralin (tetrahydronaphthalene) as substitute for clearing agents commonly used for parasitological and anatomical specimens] PHS 1924, 11, 105
- [*Syngamus trachealis* reported by Baltimore, physician] PHS 1924, 11, 106
- and **Meleney, H. E.** The known distribution of the molluscan hosts of *Schistosoma japonicum* in the Far East considered in the light of known distribution of schistosomiasis japonica (PHS) 1924, 11, 107

- What constitutes a justifiable basis for systematic grouping of larval trematodes? (PHS) 1924, 11, 112
- [*Chistoportus holothuriana* a new type of holostome fluke] PHS 1924, 11, 121
- [Reexamination of *Aryllochistosomum sufraginifer* Lane, 1915] PHS 1924, 11, 121
- See Morishita and Faust 1925, 11, 158
- and **Nishigori, M.** The life cycles of two new species of Heterophyidae, parasitic in mammals and birds 1926, 13, 91
- Thelazia* infections in China (ab) 1927, 13, 213
- [Four species of linguatulids in China] (ab) 1927, 13, 285
- The possible presence of male schistosomes alone in experimental and natural infections (PHS) 1927, 14, 62
- Experimental definitive hosts of *Thelazia callipaeda* (ab) 1927, 14, 134
- and **Hu, C.** Human infection with larval *Thelazia* (ab) 1927, 14, 134
- and **Kellog, C. R.** Parasitic infections in the Foochow area, Fukien province, China (ab) 1928, 14, 196
- and **Lo, K. C.** A new case of *Isospora hominis* from China (ab) 1928, 14, 197
- Studies on *Thelazia callipaeda* Railliet and Henry, 1910 1928, 15, 75
- Morphological and experimental studies on species of *Diphyllobothrium* in the Far East (ab) 1928, 15, 137
- Human strongyloidiasis in Panama (ab) 1930, 17, 107
- See Hinman and Faust 1933, 19, 119
- The development of *Strongyloides* in the experimental host (ab) 1932, 19, 167
- and **Hoffman, W. A.** The molluscan phase of the life cycle of *Schistosoma mansoni* (ab) 1933, 20, 131
- The interrelations of parasite and host-tissue in experimental *Strongyloides* infection (ab) 1934, 20, 333
- Notes on helminths from Panama. I. *Tavorchia schistocotyle* (Fischewder, 1901), from the Panamanian cayebara, *Hydrochoerus isthmicus* Goldman, 1912 1935, 21, 323
- and **Martinez, W. H.** Notes on helminths from Panama. II. Rare human nematode eggs in the feces of individuals from the Chagres River, Panama 1935, 21, 332
- and **Tang, C.-C.** New aspidogasterid species with a consideration of the systematic position of the group (ab) 1935, 21, 435
- The whole life cycle of *Strongyloides* (ab) 1935, 21, 439
- Sawicz, W., Tobie, J., Odom, V., Peres, C., and Lincicome, D.** Comparative efficiency of various techniques for the discovery of protozoa and helminths in feces (ab) 1938, 21 Suppl. 8
- Comparative efficiency of various techniques for the diagnosis of protozoa and helminths in feces 1939, 25, 241
- A new record of human heart-worm infection from New Orleans (ab) 1939, 25 Suppl. 32
- Feehey, Robert E.** See Wautland et al 1936, 22, 538
- Fenstermacher, R. and Jellison, W. L.** Porcupine louse infesting the monkey 1932, 18, 294
- Ferguson, M. S.** Experimental studies on *Neascus vanthracae* (ab) 1936, 22, 544
- Experimental studies on *Posthodiplostomum minimum* (MacCallum, 1921) a trematode from herons (ab) 1938, 21 Suppl. 31
- Development of trematode metacercariae into adult worms in sterile cultures (ab) 1939, 25 Suppl. 13
- Fichter, Edson** See Cuckler and Fichter 1939, 25, 184
- Filipjev, I. N.** Classification of free-living nematoda and relations to parasitic forms (PHS) 1929, 15, 281
- Fish, Frederic** Coccidia of rodents: *Eimeria monacis* n. sp. from the woodchuck 1930, 17, 98
- [Progress report of work dealing with destruction of oocysts of *Eimeria tenella* Railliet and Lucet, 1891] PHS 1931, 17, 235
- Observations on *Henneguya salminicola* Ward, a myxosporidian parasite in Pacific salmon 1936, 25, 169
- Fisher, Anna B.** See Tallafiero et al 1927, 13, 216
- Fisher, Marian L.** See Ackert et al 1927, 13, 219
- ment of an egg of the genus *Trichostrongylos* and its probable significance 1914, 1, 45
- [Triradiate specimen of *T. acinia pistiformis*] PHS 1914, 1, 53
- The use of vermicifuges in the treatment of swine (PHS) 1915, 1, 155
- Two new cases of polyradiate cestodes, with a summary of the cases already known 1915, 1, 7
- See Ransom and Foster 1919, 5, 93
- Foy, Henry and Kondi, A.** A note on a faeces survey in a rural Greek population of a Peloponnesian village 1935, 21, 451
- Fracker, Stanley B.** Variation in *Caryurus*: its bearing on the value of a nematode formula 1914, 1, 22
- Freeborn, Stanley B.** See Herms and Freeborn 1920, 7, 69
- Hart, G. H. and Howell, C. E.** Confirmatory evidence that *Habronema* larvae are not the etiological factor in barsattee (ab) 1927, 13, 220
- The seasonal life history of *Anopheles maculipennis* with reference to humidity requirements and "hibernation" (ab) 1931, 18, 118
- Notes on the economic importance, life history, and control of *Monticzia cyphana* Rudolphi, the common tapeworm of sheep (ab) 1933, 20, 131
- Freeman, A. E.** See Ackert and Freeman 1936, 22, 531
- Freeman, L. B.** Studies on amoebae from human hosts 1929, 16, 1
- Froes, Heitor P.** Observations on Brazilian "blister beetles" 1935, 21, 124
- Frost, Florence M.** See Herms and Frost 1931, 18, 121
- See Herms and Frost 1932, 18, 240
- A comparative study of the male terminalia of California anophelines 1932, 18, 282
- Fry, Wesley and Stewart, J. T., Jr.** Studies on *Achirostrongylus abstrusus* (Railliet 1898) Cameron 1927 1931, 18, 34
- See Becker and Frye 1929, 15, 175
- and **Meleney, H. E.** A survey of flies, pigs, fowls, rats and mice in a rural community for the intestinal protozoa of man (ab) 1931, 18, 118
- See Cram and Folan 1938, 24 Suppl. 23
- Ford, Norma** Observations on the behaviour of the sarcophagid fly, *H. obliquifurta* (Walk.) 1932, 19, 106
- Further observations on the behaviour of *H. obliquifurta* (Walk.) with notes on the collecting and rearing of the flies 1936, 22, 369
- Foster, A. O. and Cort, W. W.** The effect of a deficient diet on the susceptibility of dogs and cats to non-specific strains of hookworms (ab) 1931, 18, 117
- and ——— The relation of diet to the susceptibility of dogs to *Ancylostoma caninum* (ab) 1931, 18, 117
- and **Daengsvang, S.** Viability and rate of development of the eggs and larvae of the two physiological strains of the dog hookworm, *Ancylostoma caninum* 1932, 18, 245
- and **Cort, W. W.** Deficient diet as a factor rendering dogs susceptible to the cat strain (Scott) of *Ancylostoma caninum* (PHS) 1932, 18, 308
- Prenatal infection with the dog hookworm, *Ancylostoma caninum* 1932, 19, 112
- Blood studies of experimental infections with the dog hookworm, *A. caninum* (ab) 1933, 20, 142
- Further observations on prenatal hookworm infection of dogs 1935, 21, 302
- A quantitative study of the nematodes from a selected group of equines in Panama 1936, 22, 479
- Parasites of equines in the Panama Canal Zone (ab) 1936, 22, 528
- A relationship in equines between age of host and number of strongylid parasites (ab) 1936, 22, 532
- and **Cort, W. W.** The stability of the cat and dog strains of *Ancylostoma caninum* 1937, 23, 83
- and **Ortiz, O. P.** A further report on the parasites of a selected group of equines in Panama 1937, 23, 360
- The occurrence of *Trichostrongylus axei* (Cobbold) in equines of Panama (ab) 1937, 23, 573
- and **Johnson, C. M.** Protostrongylidasis, a new nematode disease of captive monkeys (ab) 1938, 24 Suppl. 32
- Foster, Winthrop D.** Observations on the eggs of *Ascaris lumbricoidea* 1914, 1, 31
- A peculiar morphologic develop-



- and — The effect of washing cultures and of exchanging bacterial flora on the pathogenicity of *E. histolytica* for kittens (ab) 1932, 19, 159
- and — Observations on the intestinal protozoa of young pigs and attempts to produce infection with a human strain of *E. histolytica* (ab) 1933, 29, 133
- and — Effect of various culture filtrates on the pathogenicity of *E. histolytica* for kittens (ab) 1934, 29, 336
- and — The viability of *Endamoeba histolytica* cysts after passage through the cockroach 1936, 22, 221
- and — Intestinal protozoa in human autopsies 1936, 22, 300
- and — Vitamin A deficient diet in rats in relation to infection with *E. muris* 1937, 23, 228
- Gabaldon, A. and Meloney, H. E.** The production of amoebic liver abscesses in cats through the portal circulation 1937, 23, 229
- and **Meloney, H. E.** The pathogenicity of a strain of small race *Endamoeba histolytica* (ab) 1937, 23, 555
- Fuhrmann, Otto** *Hymenolepis macleodii* (v. Lunstov) considerations sur le genre *Hymenolepis* 1924, 11, 33
- Fülleborn, F.** The wandering of certain nematode larvae in the body of their hosts (PHS) 1924, 11, 98
- Gabaldon, Arnoldo** Quantitative studies of experimental infections with *Balanitium coli* in the rat (ab) 1934, 20, 331
- and — *Mollicoccidia cunicata* (Steindachner) a larvivorous top-minnow from Venezuela 1935, 21, 311
- and — *Balanitium coli*: quantitative studies in experimental infections and variations in infectiousness for rats 1935, 21, 386
- and **Andtews, J.** Experimental lesions caused by *Trichostrongylus colubræ* in the chicken 1935, 21, 451
- and — *Balanitium coli*: effects of increasing the viscosity and crystalloid contents of the intestine of an experimental host on the density of the infection 1935, 21, 454
- and — See Frye et al 1937, 23, 229
- and — A method for mounting anopheline eggs 1939, 25, 281
- Gafford, James A., Jr.** See Kessel and Gafford 1934, 20, 330
- Galindo, V. P.** See Herms et al 1939, 25, 511
- Galli-Valerio, B.** Are sarcosporidia aberrant forms of ciliatesporidia of vertebrates? 1916, 2, 126
- Gamble, W. G., Jr.** Intestinal parasites in the eastern Carolinas (ab) 1927, 11, 134
- Gambrell, E.** See Travis et al 1939, 25, 278
- Gates, William H.** A method of concentration of parasitic eggs in feces 1920, 7, 49
- Geiman, Quentin M.** The intestinal protozoa of the larvae of the crane fly, *Tipula abdominalis* (ab) 1932, 19, 173
- and — See Ratcliffe and Geiman 1933, 20, 139
- and — See Ratcliffe and Geiman 1934, 20, 328
- and **Wichertman, R.** Intestinal protozoa from Galapagos tortoises (with descriptions of three new species) 1937, 23, 331
- and — Cross infection experiments with three species of amoebae from reptiles (ab) 1937, 23, 557
- Gieson, John and Worden, J. L.** Wanderings of the filarid worm, *Loastella quadrilaterata*, in the bull frog (ab) 1933, 20, 130
- and — An apparent case of a pathogenic rotifer (order Belderrhida) in man (ab) 1933, 20, 133
- Gilmer, Paul M.** The poison and poison apparatus of the white-marked tussock moth *Heperocampa leucostigma* Smith and Abbot 1923, 10, 80
- Gingrich, Wendell** Periodicity in bird malaria (*Plasmodium inconstans*) (ab) 1929, 16, 98
- and — The influence of an increased burden of phagocytosis upon malarial infections in birds (ab) 1932, 19, 178
- and — The effect of an increased burden of phagocytosis upon natural and acquired immunity to bird malaria (ab) 1934, 20, 332
- Giovannola, Arnaldo** Energy and food reserves in the development of nematodes 1936, 22, 207
- and — Unisexual infection with *Schistosoma mansoni* 1936, 22, 289
- and — Inversion in the periodicity of emission of cercariae from their snail hosts by reversal of light and darkness 1936, 22, 292
- and — Comparative action of tartar emetic and foudain on *Schistosoma mansoni* in vitro 1936, 22, 302
- and — Schistosomiasis due to *Schisto-*
- soma mansoni* and its transmission in Ethiopia (ab) 1938, 24 Suppl. 11
- Girth, H. B.** See E. E. McCoy et al 1938, 24, 471
- Glading, Ben** See Ackert et al 1933, 20, 127
- and — The life cycle of *Cercariaeum lincolni* Miller and Northrup (ab) 1935, 21, 434
- Glaser, R. W.** On the cytology and life history of the amoebae with descriptions of two new species 1921, 8, 1
- and — *Herpetomonas muscae-domesticae*, its behavior and effect in laboratory animals 1922, 8, 99
- and — A study of *Trypanosoma americanum* 1922, 8, 136
- and — A new flagellate from the intestine of *Laelia caesar* L. 1930, 16, 137
- and — A pathogenic nematode of the Japanese beetle (ab) 1931, 18, 119
- and — Culture of certain protozoa, bacteria-free (ab) 1932, 19, 173
- and — Culture of a parasitic nematode (ab) 1932, 19, 173
- and **Coria, N. A.** The culture of *Paramoecium candidum* free from living microorganisms 1933, 20, 33
- and — The partial purification of *Balanitium coli* from swine 1935, 21, 190
- and — A method for the sterile culture of houseflies 1938, 24, 177
- and — See E. E. McCoy et al 1938, 24, 471
- and **Stoll, N. R.** Sterile culture of the free-living and parasitic larval stages of *Haemonchus contortus* (ab) 1938, 24 Suppl. 16
- Goddard, F. W.** *Fasciolopsis buski* a parasite of man as seen in Shaohing, China 1919, 5, 141
- Godfrey, G. H.** [Sten nematode in wild strawberry and dandelion in Oregon and Washington] PHS 1923, 9, 244
- Goldstein, Frederick** See Manwell and Goldstein 1938, 24 Suppl. 19
- and — See Manwell and Goldstein 1938, 24 Suppl. 21
- and — See Mueller and Goldstein 1939, 25 Suppl. 31
- Goldwater, Leonard J.** See Curran et al 1935, 21, 126
- Gonzalez, Eudoro** See Iturbe and Gonzalez 1917, 4, 44
- Goodchild, Chauncey G.** *Cercaria do-*
- nerca* n. sp. (Gorgoderid cercaria) from *Muscadum parturientum* (Say), 1822 1939, 25, 133
- Goodnight, Clarence** Geographical distribution of North American branchiobellids (ab) 1939, 25 Suppl. 11
- Goodwin, M. H., Jr.** See Travis et al 1939, 25, 278
- Goto, Seitaro** *Dissostoma* synonymous with *Gylichen* 1919, 6, 44
- Gousseff, W. F.** See Yakimoff and Gousseff 1934, 20, 251
- Gower, W. Carl** New sporocyst of *Leucochloridium* from Louisiana 1936, 22, 375
- and — A new host and locality record for *Sarcocystis rileyi* (Stiles, 1893) 1938, 24, 378
- and — Infectivity of *Prosthogonimus macrorchis* Macy for the common ring-necked pheasant 1939, 25, 447
- Graham, George L. and Ackert, J. E.** Carbon tetrachloride as an anthelmintic for the roundworm, *Acaridia lineata* Schneider, in growing chickens (ab) 1929, 16, 98
- and — Studies on ace-resistance of laboratory rats to *Nippostrongylus muris* (Yokogawa, 1920) (ab) 1932, 19, 157
- and — Reaction of laboratory rats to graded numbers of *Nippostrongylus* larvae (ab) 1933, 20, 128
- and **Porter, D. A.** Strains of *Nippostrongylus muris* and their behavior in various strains of rats (ab) 1934, 20, 323
- and — *Capillaria* infestations in New Jersey pheasants 1935, 21, 61
- and — *Giardia* infections in a nematode from cattle 1935, 21, 127
- and — Single larva infections of *Strongyloides ratti* Sandground, 1925, as an approach to certain problems of *Strongyloides* biometrics (ab) 1935, 21, 432
- and — The fecundity of single *Strongyloides ratti* parasites (ab) 1936, 22, 529
- and — Seasonal changes in the frequency with which single *Strongyloides ratti* produce progeny of indirect development (ab) 1937, 23, 570
- and — Studies on *Strongyloides*. II. The fecundity of single *S. ratti* of homogeneous origin 1938, 24, 233
- and — Constitutionally dissimilar lines of *Strongyloides ratti* (ab) 1938, 24 Suppl. 33
- and — Studies on *Strongyloides*. V.

- Constitutional differences between a homogametic and a heterogametic line of *S. ratti* 1939, 25, 305
- Length of life of singly established *Strongyloides ratti* (ab) 1939, 25 Suppl., 29
- Graves** See Stiles and Graves 1915, 2, 94
- Graybill, H. W.** The action of arsenical dips in preventing tick infestation of the chicken and turkey 1924, 10, 205
- Green, R. G.** See Larson and Green 1938, 24, 363
- Groupe, Vincent** See Hunter and Groupe 1939, 25 Suppl., 33
- Guberlet, John E.** On the life history of the chicken cestode, *Lymnaeolepis curioca* (Magallanes) 1919, 6, 35
- Three new species of Holostomidae 1922, 9, 6
- Notes on the control of *Gyrodactylus* (ab) 1926, 12, 161
- Ecto-parasitic Infusoria from fish (ab) 1926, 12, 163
- Notes on parasitic life history studies (ab) 1929, 16, 98
- See Lloyd and Guberlet 1932, 18, 232
- Some ecto-parasitic trematodes of Puget Sound fishes (ab) 1934, 20, 324
- See Bonham and Guberlet 1937, 23, 281
- Gunn, Herbert** *Conocephalum laflamri* not a new amoeba 1922, 9, 24
- Gursch, O. F.** Sex ratio of *Trichinaella spiralis* from the digestive tract of rats (ab) 1939, 25 Suppl., 23
- Gustafson, Paul V.** Life cycle studies on *Spinthectus gracilis* and *Rhabdionema* sp. (Nematoda: Thelazidae) (ab) 1939, 25 Suppl., 12
- Habermann, Robert T.** See Harwood et al 1939, 25 Suppl., 34
- and **Harwood, P. D.** Anthelmintic efficacy of unconditioned crude phenothiazine (ab) 1939, 25 Suppl., 36
- Hackett, L.** Experiences, helminthological and otherwise, in South America (PHS) 1924, 10, 213
- Hackett, L. W.** In memoriam: Prof. Ettore Marchiafava (1847-1935) 1936, 22, 219
- Hadwen, S.** Natural occurrence of cosmophilus 1918, 4, 135
- [Parasites of reindeer and other animals in northern Alaska] PHS 1922, 9, 38
- The egg of *Schizostomum americanum* (Stiles) a porcine tapeworm (PHS) 1922, 9, 47
- *Nematodirus tarandi*, a new species of nematode from the reindeer (PHS) 1922, 9, 48
- Ascariasis in horses 1925, 12, 1
- Notes on the life history of *Oedematocera tarandi* L. and *Cephenomyia trempe* Modet 1926, 13, 56
- [Helminth parasites of deer] PHS 1932, 19, 83
- Salt treatment for warble larvae in cattle (PHS) 1932, 19, 87
- Hahn, C. W.** On the sporozoon parasites of the fishes of Woods Hole and vicinity II. Additional observations upon *Myxobolus muscili* of *fundulus* and a nearly related species, *M. pleurocercariae* of *Pseudopleuronectes americanus* 1917, 3, 150
- On the sporozoon parasites of the fishes of Woods Hole and vicinity III. On the *Chloromyxum chlapidiae* of *Chupea hareocus* (Young), *Pomolobus pseudohareocus* (Young), and *P. acutifilis* (Young) 1917, 4, 13
- Hall, D. G.** Some studies on the breeding media, development and stages of the eye gnat *Hippelates fusio* Loew, (Diptera: Chloropidae) (ab) 1931, 18, 119
- See Hall et al 1932, 19, 170
- See Dore and Hall 1934, 20, 337
- Hall, Maurice C.** Experimental ingestion by man of cysticercoid of carnivore tapeworms 1914, 1, 42
- [Second case of *Fasciola magna* in sheep] PHS 1914, 1, 406
- See Ransom and Hall 1915, 1, 154
- A note on *Syngamus laryngaeus* from cattle and carabao in the Philippine Islands (PHS) 1915, 1, 155
- [Ingestion of *Ascaris suum* by man] PHS 1915, 1, 155
- See Ransom and Hall 1915, 2, 80
- See Ransom and Hall 1917, 3, 177
- Intestinal parasites found in 18 Alaskan foxes from St. George Island] PHS 1920, 7, 97
- [Short note on anthelmintics] PHS 1920, 7, 98
- Apparent atrophy of spicules associated with increasingly close and permanent union of the male and female *Syngamus* (PHS) 1920, 7, 100
- [*Cytrebra* larvae from cats] PHS 1921, 7, 186
- [Note proposing new generic names for *Strongylus rubidus* Hassall and Stiles and for *Filaria osleri* Cobbold] PHS 1921, 7, 191
- [Carbon tetrachloride as anthelmintic for use in removing hookworms] PHS 1921, 7, 192
- A nematode with six uteri (PHS) 1921, 7, 197
- *Filaria nyclicchi* (Mönnig, 1920) (PHS) 1921, 7, 198
- Gid in sheep in Colorado (PHS) 1921, 7, 198
- *Stephanurus dentatus* as a parasite of cattle (PHS) 1921, 7, 198
- [Worms obtained by anthelmintics] PHS 1921, 7, 200
- *Codostomum struthionis* from *Struthio camelus* (PHS) 1921, 7, 201
- [Second case of swine kidney worm, *Stephanurus dentatus*, from liver of cattle] PHS 1921, 8, 95
- Sterile tapeworms in unusual hosts (PHS) 1922, 9, 35
- [Anoplocephaline tapeworm collected from pig in Antigua] PHS 1922, 9, 35
- [Hill pastures cleaned of worm infestation by wash of rain] PHS 1922, 9, 35
- [Possibility of solution of cancer problem being reached through field of parasitology] PHS 1922, 9, 37
- and **Shillinger, J. E.** Miscellaneous tests of carbon tetrachloride as an anthelmintic (PHS) 1922, 9, 38
- [Control of *Oesmus ovis* by pine tar smeared on nose] PHS 1922, 9, 39
- A case of apparently spurious parasitism in man (PHS) 1922, 9, 39
- *Acaria americana* from the cat (PHS) 1922, 9, 43
- *Oxyuris confur* Leidy, 1856, a synonym of *Oxyuris anthracina* Rudolph, 1819 (PHS) 1922, 9, 44
- A snail from the crop of a chicken (PHS) 1923, 9, 239
- Fly breeding in a dead fox (PHS) 1923, 9, 239
- The wandering habit of *Isocaridia pensylvanica* (PHS) 1923, 9, 240
- Hookworm of swine] PHS 1923, 9, 241
- Intrauterine infestation of dogs with hookworms (PHS) 1924, 10, 205
- *Heberichia dispar* in the United States (PHS) 1924, 10, 209
- Multiple infestation with *Cytrebra* larvae in cats (PHS) 1924, 10, 209
- See Ransom and Hall 1924, 10, 209
- [Mirror device for examining gastro-intestinal contents for parasites] PHS 1924, 10, 213
- [Effect of bite of wheel-bug, *Triphys cristatus*, on child 10 years old] PHS 1924, 11, 94
- A grasshopper attaching in the mouth of the cat (PHS) 1924, 11, 101
- [Final stage larva of *Bogeria* sp. passed in feces of dog] PHS 1924, 11, 112
- [Treatment for whipworm infestation] PHS 1924, 11, 121
- *Sarcocystis pilosyi* from the domesticated duck (PHS) 1925, 11, 217
- [Cutebriid larvae in cats and dogs (PHS) 1925, 11, 221
- The goat as a host of *Paragonimus* (PHS) 1925, 11, 227
- and **Shillinger, J. E.** A new anthelmintic, tetrachlorethylene (PHS) 1925, 11, 228
- *Isocaridia galli* in the hens' egg (PHS) 1925, 12, 105
- Parasites of deer *Odocoileus* sp. (PHS) 1925, 12, 105
- and **Shillinger, J.** Kamala, a satisfactory anthelmintic for tapeworms in poultry (ab) 1926, 12, 166
- [Spurious parasite] PHS 1926, 12, 178
- Some practical principles of anthelmintic medication 1926, 13, 16
- *Dicrofilaria immitis* vomited by a dog (PHS) 1926, 13, 87
- [Mercurochrome as an anthelmintic] PHS 1926, 13, 89

- The economic importance of veterinary parasitology (ab) 1927, 11, 132
- Anaplasmosis in the United States (PHS) 1928, 14, 199
- [Condensation of parts of swine in meat inspection for parasitism] PHS 1928, 14, 203
- [Naphthaline of little promise as an anthelmintic] PHS 1928, 15, 72
- Are the metastrongyles strongyles? (PHS) 1930, 16, 167
- The wide field of veterinary parasitology 1930, 16, 175
- [Durability of certain parasite structures] PHS 1930, 17, 57
- [Influences responsible for growing importance of parasitism in wild life] PHS 1931, 17, 230
- Carbon tetrachloride as a preservative for ticks and fleas (PHS) 1931, 18, 49
- The preparation and editing of papers on parasitology (ab) 1931, 18, 119
- [Ticks and fleas in *Pecari angulatus angulatus* (Cope)] PHS 1932, 18, 303
- Kamala as an anthelmintic for removing bothriocéphalids from pehicans (PHS) 1932, 18, 304
- The naming of larval trematodes (PHS) 1932, 18, 309
- Nathan Augustus Cobb 1932, 19, 1
- [Transmission of anaplasmosis] PHS 1932, 19, 87
- The extraction of *Oncocerca* [sic] from the ligamentum nuchae (PHS) 1932, 19, 92
- Parasites in Porto Rico (PHS) 1932, 19, 92
- Is parasitology a science? (ab) 1932, 19, 172
- Is parasitology a science? 1933, 19, 183
- Writing scientific papers for the benefit of foreign readers (PHS) 1933, 19, 246
- Theobald Smith as a parasitologist 1935, 21, 231
- and **Collins, B. J.** Studies on trichinosis. I. The incidence of trichinosis as indicated by post-mortem examination of 300 diaphragms (ab) 1936, 22, 532
- and ——— Studies on trichinosis. II. Some correlations and implications in connection with the incidence of trichinae found in 300 diaphragms (ab) 1936, 22, 533
- Hall, Phoebe R.** See Becker and Hall 1931, 18, 115
- See Becker and Hall 1932, 19, 159
- and **Knippling, E. F.** *Eimeria franklini* and *Eimeria cybeberci*, two new species of coccidia from the Franklin ground squirrel. *Citellus franklini* Sabine 1935, 21, 128
- Hansen, Clayton** See Wamland et al 1936, 22, 538
- Hardenbergh, John G.** See Sheard and Hardenbergh 1927, 14, 36
- Harkema, Reinard** A new species of *Brachylacmus* from the barred owl 1939, 25, 277
- Harper, N. A.** See Shiles et al 1924, 11, 97
- Harrah, E. C.** Two new monostomes from Asia 1921, 7, 162
- Hart, George H.** See Freeborn et al 1927, 13, 220
- Hartman, Ernest** Parasite mortality in the asexual cycle of bird malaria (ab) 1926, 12, 167
- [Effectiveness against malaria of crystallizable cinchona alkaloids] PHS 1926, 12, 179
- Chemical change in red blood corpuscles parasitized by Plasmodia as shown by Golgi's gold chloride staining method (ab) 1927, 13, 216
- Some notes on Leucocytozoa with special reference to *Leucocytozoon anatis* (ab) 1927, 14, 123
- The incidence of malaria in South China in relation to humidity and temperature (ab) 1928, 15, 138
- The asexual cycle in *Leucocytozoon anatis* 1929, 15, 178
- Hartman, P. H.** See Schwartz and Hartman 1931, 18, 54
- Harwood, Paul D.** A new species of *Oryzomatium* (Nematoda) with some remarks on the genera *Oryzomatium* and *Aplectana* and observations on the life history 1930, 17, 61
- [*Strigica falconis melagris* n. var.] PHS 1931, 18, 51
- Some parasites of Oklahoma turtles 1931, 18, 98
- Helminths parasitic in the Amphibia and Reptilia of Houston, Texas, and vicinity (ab) 1931, 18, 120
- The effect of soil types on helminthic parasites of a lizard. *Leiolopisma laterale* (ab) 1932, 19, 163
- and **Brown, H. W.** A preliminary report on the in vitro consumption of oxygen by parasitic nematodes (ab) 1933, 20, 128
- An anomalous *Ascaris lumbricoides* from swine 1934, 20, 314
- **Cutler, J. T., Spindler, L. A.** and **Cross, S. X.** Retention of guanidine bases, a toxic factor in trichinosis (ab) 1936, 22, 532
- See Schwartz and Harwood 1938, 24, 283
- Jerstad, A. C., and Swanson, L. E.** The efficacy of phenothiazine for the removal of ascariids and nodular worms from swine (ab) 1938, 24 Suppl, 16
- See Wehr et al 1938, 24 Suppl, 17
- and **Jerstad, A. C.** *Lucilia* sp. attacking sheep at Beltsville, Maryland (ab) 1938, 24 Suppl, 23
- See Underwood and Harwood 1939, 25, 23
- **Habermann, R. T. and Swanson, L. E.** Phenothiazine as an anthelmintic (ab) 1939, 25 Suppl, 34
- See Habermann and Harwood 1939, 25 Suppl, 36
- Hassall, Albert** [Attachment of trematode to another trematode] PHS 1924, 10, 210
- Dr. Ransom's bibliography 1926, 13, 10
- *Ivodes hibsti*, new name for *I. victoriensis* (PHS) 1931, 17, 232
- Haughwout, Frank G.** Note on a case of human infection with *Isospora hominis* probably originating in the United States 1921, 8, 45
- Hausheer, W. C.** See Stoll and Hausheer 1926, 12, 180
- Hayashi, N.** Etiology of Tsutsugamushi disease [Errata 7, 156] 1920, 7, 53
- Hazard, F. O.** Two new host records for the protozoan *Haptophrya michiganensis* Woodhead 1937, 23, 315
- Headlee, William Hugh** The epidemiology of human ascariasis in the metropolitan area of New Orleans, Louisiana (ab) 1935, 21, 427
- and **Cable, R. M.** Studies of intestinal parasite infections of students of Berea College, Kentucky (ab) 1936, 22, 530
- Notes on the incidence of human intestinal helminths in the State of Cojedes, Venezuela, South America (ab) 1938, 24 Suppl, 11
- Hedrick, Leslie R.** Life history of *Spiraeys* sp. from American turtles (ab) 1931, 18, 120
- Taxonomy of the nematode genus *Spiraeys* (Family Spiruridae) 1935, 21, 397
- Hegner, Robert W.** Measurements of *Trypanosoma dimorphi* from different hosts and their relation to specific identification, heredity and environment 1921, 7, 105
- *Cyrtospora bacterifera* in the red blood cells of the frog 1921, 7, 157
- [New blood parasite in frog] PHS 1921, 7, 189
- and **Becker, E. R.** The diagnosis of protozoal flagellates by culture methods 1922, 9, 15
- The effects of changes in diet on the incidence, distribution and numbers of certain intestinal protozoa of frog and toad tadpoles 1922, 9, 51
- [Effect of diet on intestinal protozoa] PHS 1923, 9, 241
- *Giardia* and *Chilomastix* from monkeys, *Giardia* from the wild cat and *Balanitium* from the sheep 1924, 11, 75
- [*Giardia* in South American monkey] PHS 1925, 11, 229
- [Protozoa that live in pitcher plants] PHS 1925, 12, 111
- [Two cases of flagellate diarrhoea due to *Trichomonas*] PHS 1925, 12, 111
- Samuel Taylor Darling (1872-1925) 1926, 12, 117
- *Endolimax caryae* n. sp. from the guinea-pig and *Endolimax jantiae* n. sp. from the domestic fowl 1926, 12, 146
- The protozoa of insectivorous plants (ab) 1926, 12, 160
- *Giardia beckeri* n. sp. from the ground squirrel and *Endamoeba dipodomysi* n. sp. from the kangaroo rat 1926, 12, 203
- Excystation in the rat of *Giardia lamblia* from man (ab) 1927, 13, 226
- and **Ratcliffe, H.** Trichomonads from the vagina of the monkey, from the mouth of the cat and man, and from the intestine of the monkey, opossum and prairie-dog 1927, 13, 27
- and ——— Trichomonads from the mouth of the dog 1927, 14, 51
- [Vaginal trichomonads in non-key] PHS 1927, 14, 60

- Viability of *Trichomonas hominis* at various temperatures and in various dilutions of water (ab) 1927, 11, 128
- The ingestion of red blood corpuscles by trichomonad flagellates (ab) 1927, 11, 128
- Experimental transmission of trichomonads from the intestine and vagina of monkeys to the vagina of non-keys (*Macaca rhesus*) 1928, 14, 261
- [Ingestion of red-blood corpuscles by trichomonads] PHS 1928, 14, 262
- and **Schumaker, E.** Some intestinal amoebae and flagellates from the chimpanzee, three beel, sheep and guinea-pig 1928, 15, 31
- [Experiments with transfer of trichomonad flagellates of the monkey] PHS 1928, 15, 67
- Transmission of intestinal protozoa from man and other animals to parasite-free fowls (ab) 1928, 15, 138
- The viability of paramoecia and engleae in the digestive tract of cock-roaches 1929, 15, 272
- The viability of trichomonad flagellates in milk 1929, 16, 47
- The incidence of trypanosomes and intestinal flagellates in aquatic and terrestrial forms of the crimson-spotted newt 1929, 16, 56
- *Endolimax* amoebae in the vagina of rhesus monkeys 1929, 16, 91
- Opalinid ciliates of the green frog (ab) 1930, 17, 107
- [Problem of the absence of opalinid infusoria from rectum of adult green frogs] PHS 1931, 17, 232
- Studies on amoebiasis in Panama (ab) 1931, 18, 120
- Studies on amoebiasis in Panama 1932, 18, 153
- Observations and experiments on the opalinid ciliates on the green frog 1932, 18, 274
- Development outside of the human body and excystation in monkeys of cysts of *Endolimax histolytica* (PHS) 1932, 18, 308
- Comparative studies of intestinal protozoa in different species of non-keys (ab) 1932, 19, 176
- Methods of counting trichomonad flagellates (PHS) 1933, 19, 247
- The use of the term "infectibility" (PHS) 1933, 19, 247
- Sir Ronald Ross and the discovery of the mosquito transmission of malaria 1933, 19, 312
- Starch diets and infections with *Endamoeba histolytica* in chicks 1933, 20, 57
- Protozoa from the intestine of chimpanzees (ab) 1933, 20, 143
- Passage of *Trichomonas hominis* in a viable condition through the stomach and small intestine of a monkey 1934, 20, 199
- Transmission of *Endamoeba histolytica* in drinking water 1934, 20, 199
- Infections of the vagina of rhesus monkeys with *Trichomonas hominis* from man 1934, 20, 217
- Protozoa from other animals in the ceca of parasite-free chicks 1935, 21, 59
- Viability of *Chilomastix mesnili* in water 1935, 21, 60
- Intestinal protozoa from Panama monkeys 1935, 21, 60
- Francis Metcalf Root 1935, 21, 67
- and **Esckridge, L.** Effects of a high protein diet on *Trichomonas hominis* in rats 1935, 21, 313
- and ——— Effects of increasing the viscosity of culture media on the multiplication of *Trichomonas hominis* 1936, 22, 223
- and ——— A colony of *Trichomonas* free rats 1936, 22, 408
- and ——— Effects of allantoin on trichomonad flagellates in vitro and in vivo 1936, 22, 410
- Parasite reactions to host modifications 1937, 23, 1
- and **Esckridge, L.** The elimination of amoeba from rats with a high protein diet 1937, 23, 105
- and ——— Effects of starvation on trichomonads in rats 1937, 23, 225
- and **Hewitt, E.** The effects of phenylhydrazine on avian infections with *Plasmodium calhemerium* (ab) 1937, 23, 556
- and ——— Susceptibility of young red cells in canaries to malarial parasites (ab) 1937, 23, 556
- and **Esckridge, L.** Natural elimination of *Giardia muris* from rats 1938, 24, 475
- and ——— Localization of *Giardia muris* in rats 1938, 24, 511
- and **Alicata, J. E.** Trichomonad flagellates in facial lesions of a pig 1938, 24, 554
- Invasion of young red blood cells
- by merozoites of human and avian *Plasmodium* (ab) 1938, 24 Suppl, 21
- Helmly, M.** See Augustine et al 1928, 15, 45
- Herber, Elmer C.** Schistosome dermatitis in dogs 1938, 24, 474
- On the mother redia of *Diploidiocercus temperatus* Staiford, 1905 1938, 24, 549
- Studies on the biology of the frog amphistome, *Diploidiocercus temperatus* Staiford 1939, 25, 189
- Life history studies on monostomes of the genus *Nolocoryphus* (Trematoda) (ab) 1939, 25 Suppl, 18
- Herman, Carlton M.** See Manwell and Herman 1935, 21, 415
- Occurrence of malaria in young and adult red-wing blackbirds (*Aegialitis p. phoeniceus*) (ab) 1937, 23, 553
- Transmission experiments with *Plasmodium circumflexum* and *P. calhemerium* by mosquitoes (ab) 1937, 23, 557
- *Hannoprotus* sp. from the common black duck, *Anas rubripes tristis* 1938, 24, 53
- *Leucocytosom anatis* Wickware, a synonym for *L. simondi* Mathis and Leger 1938, 24, 472
- Hermes, William B.** The pajaroello tick (*Ornithodoros coriaceus* Koch) 1916, 2, 137
- and **Freeborn, S. B.** The egg-laying habits of Californian anophelines 1920, 7, 69
- A case of human myiasis caused by the ox-warble, *Hyphoderma horis* De G. 1925, 11, 149
- Ophthalmomyiasis in man due to *Cephalomyia (Oestrus) oris* (Linn.) 1925, 12, 54
- and **Frost, F. M.** A comparative study of the eggs of Californian anophelines (ab) 1931, 18, 121
- and ——— A comparative study of the eggs of Californian anophelines 1932, 18, 240
- and **Wheeler, C. M.** *Ornithodoros hermsi* Wheeler as a vector of relapsing fever in California (ab) 1935, 21, 440
- and **Howell, D. E.** The western dog tick, *Dermacentor occidentalis*, Neum., a vector of bovine anaplasmosis in California (ab) 1935, 21, 444
- and **Wheeler, C. M.** *Ornithodoros hermsi* Wheeler as a vector of relapsing fever in California 1936, 22, 271
- and **Howell, D. E.** The western dog tick, *Dermacentor occidentalis*, Neum., a vector of bovine anaplasmosis in California 1936, 22, 272
- and **Kadner, C. G.** The house fly *Lucilia fusca*, parasite of the owl *Bubo virginianus pacificus*, a new vector of malaria of the California valley quail (ab) 1936, 22, 541
- and ——— The house fly, *Lucilia fusca*, parasite of the owl, *Bubo virginianus pacificus*, a new vector of malaria of the California valley quail 1937, 23, 296
- **Galindo V. P.** and **Armstrong, D. F.** Blood parasites of California birds 1939, 25, 511
- Herrick, Chester A.** Host-parasite relations between the dog and the hookworm, *Uncystostoma caninum* (ab) 1927, 13, 219
- *Leucybstoma caninum* successfully transferred from one dog to another] PHS 1927, 14, 61
- See Ackert and Herrick 1928, 15, 1
- Some effects of parasites on the metabolic rate of their hosts (ab) 1931, 18, 121
- The development of natural and artificial resistance of young rats to the parasite, *Trypanosoma lewisi* (ab) 1932, 19, 158
- Some physiological effects of coccidia on chickens (ab) 1933, 20, 123
- The development of resistance to the protozoan parasite, *Eimeria tenella*, by the chicken (ab) 1934, 20, 329
- The tick *Ornithodoros talaje* in Wisconsin homes 1935, 21, 416
- The persistence of immunity of the chicken to the protozoan parasite, *Eimeria tenella* (ab) 1935, 21, 429
- and **Cross, S. X.** The development of natural and artificial resistance of young rats to the pathogenic effects of the parasite *Trypanosoma lewisi* 1936, 22, 126
- Organ specificity of the parasite *Eimeria tenella* 1936, 22, 226
- **Ott, G. L.** and **Holmes, C. E.** Age as a factor in the development of resistance of the chicken to the effects of the protozoan parasite, *Eimeria tenella* 1936, 22, 264

- Changes occurring in blood of chickens during cecal coccidiosis (ab) 1939, 25 Suppl, 34
- Hertig, Marshall** The normal and pathological histology of the ventriculus of the honey-bee, with special reference to infection with *Nosema apis* 1923, 9, 109
- Hess, Walter N.** The life history and control of *Dactylogyrus* sp. (ab) 1928, 15, 138
- Control of external fluke parasites on fish 1930, 19, 131
- Hetherington, D. C.** See Kudo and Hetherington 1922, 8, 129
- Some new methods in nematode technique 1922, 9, 102
- Hewitt, Redginal** The effect of phenylhydrazine hydrochloride on the peripheral blood picture in canaries 1937, 23, 428
- The natural habitat and distribution of *Hartmannella castellanii* (Douglas), a reported contaminant of bacterial cultures 1937, 23, 491
- See Hegner and Hewitt 1937, 23, 556
- A staining technique for demonstrating avian malaria parasites in tissue sections (ab) 1938, 24 Suppl, 22
- Segmentation in the internal organs in infections with a Mexican strain of *Plasmodium relictum* (ab) 1939, 25 Suppl, 16
- Higby, Paul R.** Development of the microfilaria of *Dirofilaria scaphiceps* (Leidy, 1886) in mosquitoes of Minnesota (ab) 1938, 24 Suppl, 36
- The development of *Dipetalonema diacontha* and *Dirofilaria spinosa* in mosquitoes (ab) 1939, 25 Suppl, 15
- Hill, C. H.** See Chitwood and Hill 1931, 18, 52
- Hill, William C.** The nematode *Skrjabiniulus chirococtorum* n. sp. from the skunk 1939, 25, 475
- Hilton, William A.** The central nervous system of the parasitic isopod, *Graespicephon* 1917, 4, 25
- Hinman, E. Harold** See Matheson and Hinman 1928, 15, 141
- and **Faust, E. C.** The ingestion of the larvae of *Tenebrio molitor* L. (meal worm) by man 1932, 19, 119
- A description of the larva of *Anopheles atropis* Dyar and Knab, with biological notes on the species (ab) 1932, 19, 172
- Biological notes on *Cranotaenia* spp. in Louisiana (ab) 1934, 20, 339
- See Baker and Hinman 1935, 21, 427
- and **Hurlbut, H. S.** The relation of shade to *Anopheles quadrimaculatus* breeding (ab) 1938, 24 Suppl, 20
- A study of winter activities and hibernation of *Anopheles quadrimaculatus* in the Tennessee Valley (ab) 1939, 25 Suppl, 16
- Hiyeda, Kentaro** Pathologic-anatomical studies on experimental amoebiasis in kittens (ab) 1929, 16, 99
- and **Terada, B.** A new anthelmintic "raigan" for trematids 1939, 25, 183
- Hjortland, Arthur Lorimer** On the genetic and life history of an adult *Tribonomphorus robustus* 1928, 15, 38
- Hoeppli, R. J. C.** *Mesocostoides corti*, a new species of cestode from the mouse 1925, 12, 91
- [Cellular structure of anterior end of different ascarids] PHS 1925, 12, 107
- [Specimen, possibly tubellarian, passed in urine] PHS 1925, 12, 108
- [Free-living nematodes from Yellowstone Park] PHS 1925, 12, 111
- Hoffman, William A.** [*Fasciola* in throat of an Armenian living in Haiti] PHS 1926, 13, 83
- [Planarian feeding on larvae of *Culex*] PHS 1926, 13, 83
- and **Rivera, T.** The ring test in *Fasciola hepatica* infection of cattle (ab) 1928, 15, 139
- [First case of *Dipylidium* in man from Porto Rico] PHS 1929, 15, 223
- [Case of a sailor in Haiti, heavily infested with *Giardia*] PHS 1929, 15, 290
- [*Mouillolimus montiformis* in wild rat] PHS 1930, 16, 169
- [*Heterodax longitarsus* Piaget, dog-kangaroo louse, found for first time in Porto Rico] PHS 1930, 17, 56
- [Third case of *Syngamus larvigenus* in man] PHS 1931, 17, 236
- [Allergic reactions to schistosome infestation] PHS 1931, 17, 236
- [Ova of *Fasciola hepatica* in human feces] PHS 1931, 18, 53
- The occurrence of *Platyosoma fastosum* in cats in Porto Rico (PHS) 1932, 19, 91
- and **Pons, J. A.** The sedimentation method in the diagnosis of schistosomiasis mansoni (ab) 1932, 19, 164
- See Faust and Hoffman 1933, 20, 131
- and **Janer, J. L.** *Bufo marinus* as a vector of helminth ova in Puerto Rico (ab) 1938, 24 Suppl, 10
- Hogue, M. J.** A new variety of *Retortamonas (Embryomonas)* from man (ab) 1932, 19, 161
- Four races of *Retortamonas* (ab) 1934, 20, 331
- Hoil, Fred J.** A linguatid parasite from North American fishes 1928, 15, 63
- Notes on the phylogenies of North America (ab) 1928, 15, 139
- A paramphistome from fishes 1929, 16, 35
- and **Allison, L. N.** *Zetogorchis nativus* n. sp. a trematode from the water snake 1935, 21, 197
- Hollaender, Alexander** See Jones et al 1939, 25 Suppl, 21
- Holmes, C. E.** See Herrick et al 1936, 22, 264
- Holmes, Francis O.** [*Balanitium* from South American monkey, *Cebus variegatus*] PHS 1923, 9, 241
- Observations on the cysts of *Endamoeba cobayae* 1923, 10, 47
- Honeij, James A.** See Tyzzer and Honeij 1916, 3, 43
- Honeij, Jerome A.** Psoroptic otacariasis—*Psoroptes cuniculi* 1915, 2, 98
- Honess, Ralph F.** See Scott and Honess 1931, 18, 130
- See Owen et al 1932, 19, 178
- Hopkins, Sewell H.** Studies on *Crepidostomum*. I. *Crepidostomum isostomum* n. sp. 1931, 17, 145
- See Ward and Hopkins 1931, 18, 69
- Studies on *Crepidostomum*. II. The "*Crepidostomum lauratum*" of A. R. Cooper 1931, 18, 79
- Studies on *Crepidostomum*. III. *Crepidostomum brevittellum* n. sp. 1934, 20, 295
- A larval *Echinocephalus* in a scurfin 1935, 21, 314
- and **Wheaton, E.** Intestinal parasites of English sparrows in Illinois 1935, 21, 316
- The study of metacercariae as an approach to life history problems (ab) 1935, 21, 112
- A new type of allocradid cercaria: the cercariae of *Amblocreadium* and *Microcreadium* 1937, 23, 94
- Some cercariae from Texas, *Limicola* (ab) 1938, 24 Suppl, 24
- A new heterophyid cercaria from Texas (ab) 1938, 24 Suppl, 26
- Horsfall, Margery Washburn** Studies on the structure of *Cercaria infusantata* n. sp. 1930, 17, 43
- See Jones and Horsfall 1935, 21, 442
- and **Jones, M. F.** The life history of *Chonotocaria infundibulum*, a cestode parasitic in chickens 1937, 23, 435
- Observations on the life history of *Raillietina echinothorax* and of *R. teträgona* (Cesloda) 1938, 24, 409
- Hoskins, Meredith** An attempt to transmit yellow fever virus by dog fleas (*Ctenocephalides canis* Curt) and flies (*Stomoxys calcitrans* Linn.) 1934, 20, 299
- Howard, Arthur D. and Anson, B. J.** Phases in the parasitism of the Unionidae 1922, 9, 68
- Howard, C. W.** Insect transmission of infectious anemia of horses 1917, 4, 70
- Howard, L. O.** [Citing the specialist] 1917, 4, 91
- On zoophilism with *Amphelasma*—a review 1924, 10, 191
- Howell, Carroll E.** See Freshorn et al 1927, 13, 220
- Howell, D. E.** See Herms and Howell 1935, 21, 444
- See Herms and Howell 1936, 22, 283
- Hsü, H. F.** Some species of *Porrocaecium* (Nematoda) from birds in China 1933, 19, 280
- Hsiung, T. S.** A survey of the protozoan fauna of the large intestine of the horse (ab) 1929, 16, 99
- Hu, Chen-hsiang** See Faust and Hin 1927, 14, 134
- Hubbs, Carl L.** The related effects of a parasite on a fish: a retardation of early growth, the retention of larval characters and an increase in the number of scales 1927, 14, 75
- Hudson, C. B.** See Beaudette et al 1933, 19, 302
- Huff, Clay G.** A study of the immunity of mosquitoes to bird malaria (ab) 1937, 23, 131

- Experimental transmission of an unusual *Haemaphysalis* to mourning doves (ab) 1931, 18, 123
- and **Bloom, W.** Experiments and observations upon a malarial parasite not restricted to living in erythrocytes (ab) 1935, 21, 426
- and **Buey, P. C.** An abnormal *Cysticercus cellulosae* from a human brain 1936, 22, 110
- A new variety of *Plasmodium relictum* from the robin 1937, 23, 400
- Quantitative studies on avian malarial oocysts (ab) 1939, 25 Suppl, 14
- Huff, George C.** Experimental studies of factors influencing the development of the eggs of pig ascarid, *Ascaris suum* (Goetz) 1936, 22, 455
- Huffman, W. T.** *Fasciola hepatica* in pancreas of sheep (P.I.S.) 1931, 18, 51
- Unusually early infestation of sheep with *Fasciola hepatica* (P.I.S.) 1931, 18, 51
- Hughes, R. Chester** Studies on the trematode family Strigeidae (Holo-stomidae) No. X *Naxosus bathyloassa* (Van Haitsma) 1928, 15, 52
- and **Piszczek, Felix R.** Studies on the trematode family Strigeidae (Holo-stomidae) No. XI *Naxosus ptychocheilus* (Faust) 1928, 15, 58
- Studies on the trematode family Strigeidae (Holo-stomidae) No. XIX, *Diplostomium scheringi* sp. nov. and *D. regnandis* (La Rue) 1929, 15, 267
- Hull, J. B., Dove, W. E. and Hall, D. G.** Seasonal incidence and concentrations of sand fly larvae in salt marshes (*Culicoides*) (ab) 1932, 19, 170
- **Dove, W. E. and Prince, F. M.** Seasonal incidence and concentrations of sand fly larvae, *Calidoxys areni* Hall, in salt marshes (Ceratopogoninae: Diptera) 1934, 20, 162
- See **Atchley and Hull** 1936, 22, 514
- Humes, Arthur G.** See **Bennett and Humes** 1938, 21 Suppl, 27
- See **Bennett and Humes** 1939, 25 Suppl, 18
- See **Bennett and Humes** 1939, 25, 223
- Hung, S. L.** Attempts to establish human hookworms in white rats! P.I.S. 1925, 12, 113
- Hungerford, H. B.** Biological notes on *Tetradonema plicans*, Cobb, a nematode parasite of *Sciara coprophila* Linner 1919, 5, 186
- Hummunen, Arne V.** See **Hunter and Hummunen** 1933, 20, 132
- A method of demonstrating cysticercoids of *Hymenolepis fraterna* (H. manna var. *fraterna* Stiles) in the intestinal villi of mice 1935, 21, 124
- Infestation of abnormal hosts with the mouse strain of *Hymenolepis fraterna* 1935, 21, 312
- An experimental study of internal autoinfection with *Hymenolepis fraterna* in white mice 1936, 22, 84
- and **Wichterman, R.** Hyperparasitism: a species of *Hexamita* (Protozoa, Flagellata) found in the reproductive systems of *Deropristis inflata* (Trematoda) from marine eels (ab) 1936, 22, 540
- and ——— Hyperparasitism: a species of *Hexamita* (Protozoa, Mastigosporea) found in the reproductive systems of *Deropristis inflata* (Trematoda) from marine eels 1938, 24, 95
- See **Cable and Hummunen** 1938, 24 Suppl, 29
- See **Cable and Hummunen** 1939, 25 Suppl, 26
- Hunter, George W., III.** Notes on the Caryophyllacidae of North America [Errata 14, 140] 1927, 14, 16
- Contributions to the life history of *Protocephalus ambloplitis* (Leidy) (ab) 1927, 14, 127
- Contributions to the life history of *Protocephalus ambloplitis* (Leidy) 1928, 14, 229
- Life history studies on *Protocephalus pinguis* La Rue (ab) 1928, 15, 139
- and **Hunter, W. S.** Further experimental studies on the bass tapeworm, *Protocephalus ambloplitis* (Leidy) (ab) 1928, 15, 139
- New Caryophyllacidae from North America [Errata 16, 110] 1929, 15, 185
- *Diplodiscus intermedicus*, sp. nov., from *Kana catesbiana* Shaw 1930, 17, 74
- Contribution to the life cycle of *Contracarium bobotes* (MacCallum 1895) (ab) 1930, 17, 108
- and **Hunter, W. S.** Contribution to the life history of *Naxosus ambloplitis* Hughes 1927 (ab) 1930, 17, 108
- and **Bangham, R. V.** Studies on the fish parasites of Lake Erie. I. New Cestoda and Nematoda 1933, 19, 304
- See **W. S. Hunter and Hunter** 1933, 20, 132
- and **Hummunen, A. V.** The cercoid larva of the bass tapeworm, *Protocephalus ambloplitis* (Leidy), in the small-mouthed bass (ab) 1933, 20, 132
- and **Hunter, W. S.** The life cycle of the yellow grub of fish, *Chlostomum marginatum* (Rud.) (ab) 1934, 20, 325
- and ——— The life history of the black grub of bass, *Crossophida ambloplitis* (Hughes) (ab) 1934, 20, 328
- See **W. S. Hunter and Hunter** 1935, 21, 186
- and **Hunter, W. S.** Studies on *Chlostomum*. IV. Notes on the penetration and growth of the cercaria of *Chlostomum marginatum* 1935, 21, 411
- Penetration of the common sunfish by the holostome cercaria, *C. milleroidata* (ab) 1936, 22, 542
- Studies on host reactions to larval parasites. II. Comparison of two flesh-penetrating cercariae (ab) 1937, 23, 534
- and **Hunter, W. S.** Studies on host reactions to larval parasites. III. An histolytic ferment from the cercariae of *Cryptocotyle lingua* (ab) 1937, 23, 572
- and ——— Studies on host reactions to larval parasites. I. The effect on weight 1938, 24, 477
- and **Kotcher, E.** Studies on *Chlostomum*. VI. The penetration and post-cercarial development of *Chlostomum marginatum* (Rud.) (ab) 1939, 25 Suppl, 19
- and **Groupé, V.** The blood picture of white mice infected with *Trichinella spiralis* (ab) 1939, 25 Suppl, 33
- Hunter, Wanda Sanborn** A new striped larva, *Naxosus vardi* 1928, 15, 104
- See **Hunter and Hunter, G. W.** 1928, 15, 139
- See **Hunter and Hunter, G. W.** 1930, 17, 108
- and **Hunter, G. W., III** The microtadium of *Chlostomum marginatum* (Rud.) (ab) 1933, 20, 132
- the fish parasites of Lake Erie. II. — See **Hunter and Hunter, G. W.** 1934, 20, 325
- New Cestoda and Nematoda — See **Hunter and Hunter, G. W.** 1934, 20, 328
- and **Hunter, G. W., III** Studies on *Chlostomum*. II. The microtadium of *C. marginatum* (Rud.) 1935, 21, 186
- See **Hunter and Hunter, G. W.** 1935, 21, 411
- See **Hunter and Hunter, G. W.** 1937, 23, 572
- See **Hunter and Hunter, G. W.** 1938, 24, 477
- See **G. W. Hunter et al** 1939, 25 Suppl, 19
- Hurlbut, Herbert S.** Copepod observed preying on first instar larva of *Chlophes quadrinaculatus* Say 1938, 24, 281
- Further notes on the overwintering of the eggs of *Chlophes walckeri* Theobald with a description of the eggs 1938, 24, 521
- See **Hinnman and Hurlbut** 1938, 24 Suppl, 20
- See **Hinnman and Hurlbut** 1939, 25 Suppl, 16
- Hutchinson, R. H.** Experiments with steam disinfectors in destroying lice in clothing 1919, 6, 65
- Hussey, Kathleen L.** Development of the excretory system in digenetic trematodes (ab) 1939, 25 Suppl, 9
- Imes, Marion** Summary of results of field trials by the U. S. Bureau of Animal Industry on ox-warble control 1926, 13, 42
- Ingles, L. G.** A new species of *Teladorschia* from the intestine of *Clemmys marmorata* 1930, 17, 101
- Irish, Earl See **Magalh. and Irish** 1926, 12, 163
- Ishiwata, Shigetane** Note on a species of *Naxosus* infecting *Atractus cyanitia* Drury 1917, 3, 136
- Iturbe, Juan and Gonzalez, E.** First case of trichinosis cutanea in Venezuela 1917, 4, 44
- Jacobs, Leon** See **Jones et al** 1939, 25 Suppl, 21
- See **Jones and Jacobs** 1939, 25 Suppl, 32
- Jahn, Theo L.** Oxidation-reduction potential as a possible factor in the growth of intestinal parasites in vitro 1933, 20, 129

- Jameson, A. Pringle** Myxosporidia from Californian fishes 1929, 16, 59  
 — Notes on Californian Myxosporidia [Errata 18, 316] 1931, 18, 59
- Janer, J. L.** See Hoffman and Janer 1938, 21 Suppl. 10
- Jay, Robert** Control of liver fluke in California (PHS) 1932, 18, 303
- Jellison, William L.** See Fenstermacher and Jellison 1932, 18, 294  
 — The parasitism of lizards by *Ixodes ricinus californicus* 1934, 20, 243  
 — A new species of *Boreiolela* (Malloplaga) 1935, 21, 410
- Parker, R. R. and Davis, G. E.** Sylvatic plague in Montana (ab) 1937, 23, 535  
 — and **Kohls, G. M.** Tick-host anemia: a secondary anemia induced by *Dermacentor Andersoni* Stiles 1938, 24, 143  
 — The possible rôle of birds in the epidemiology of sylvatic plague (ab) 1938, 24 Suppl. 12
- Opisodays Jordan** 1933, a genus of Siphonaptera 1939, 25, 413  
 — The burrowing owl as a host to the argasid tick, *Ornithodoros parkeri* (ab) 1939, 25 Suppl. 17
- Jennings, Allan H.** Summary of two years' study of insects in relation to pellagra 1914, 1, 10
- Jerstad, A. C.** See Harwood et al 1938, 24 Suppl. 16  
 — See Harwood and Jerstad 1938, 24 Suppl. 23  
 — Critical tests with iso-amyl-orthocresol for the removal of worms from the dog (ab) 1938, 24 Suppl. 34
- Jewell, Minna E.** *Cyathobacchia americana* nov. spec. from the cricket frog 1916, 2, 181  
 — *Cysticercus pisiformis* in the lungs and pericardium and beneath the costal pleura of a rabbit (PHS) 1925, 12, 109
- Job, Thesle T. and Cooper, A. R.** Notes on *Foroccephalus globicephalus* 1917, 3, 138
- Johannsen, O. A.** The first instar of *H. obliquaria vigili* Walker 1921, 7, 154  
 — *H. obliquaria vigili*, a parasite upon rabbits 1926, 13, 156
- Johnson, Arthur Dean** See Thomas and Johnson 1934, 20, 327
- Johnson, Carl Milton** See Manwell and Johnson 1930, 17, 110  
 — [Trypanosome infections in experimental animals] PHS 1931, 17, 234  
 — Pathology of experimental amoebiasis in monkeys (PHS) 1932, 18, 310  
 — Oxygen capacity of blood in experimental trypanosome infections in rats (ab) 1932, 19, 160  
 — See Andrews et al 1932, 19, 161  
 — See Foster and Johnson 1938, 24 Suppl. 32
- Johnson, E. P. and Lange, C. J.** Blood alterations in typhlohepatitis of turkeys, with notes on the disease 1939, 25, 157  
 — and — Blood alterations in typhlohepatitis of turkeys, with notes on the disease (ab) 1938, 24 Suppl. 12
- Johnson, Thurston L.** See Talliaferro and Johnson 1927, 13, 224
- Johnson, W. T.** Effect of five species of *Escherichia* upon egg production of single comb white leghorns (ab) 1931, 18, 122  
 — Immunity to coccidiosis in chickens, produced by inoculation through the ration (ab) 1932, 19, 160  
 — Chronic avian coccidiosis (ab) 1934, 20, 330
- Jones, M.** [Life history of *Metrobatheles lucida*, a tapeworm of the turkey] PHS 1930, 17, 53  
 — [Second record of cestodes from under gizzard lining of duck] PHS 1931, 18, 46  
 — Additional notes on intermediate hosts of poultry tapeworms (PHS) 1932, 18, 307
- Jones, Myrna F.** [New locality and new host for *Schistosoma microphya* (Rud. 1810) Cohn, 1900] PHS 1929, 15, 220  
 — [Cysticercoids of *Darainca proglottina* found in four species of snails] PHS 1929, 15, 223  
 — [*Hister (Carcinops) H-striatus* an intermediate host for *Hymenolepis carinata*] PHS 1929, 15, 224  
 — A new tapeworm from the guinea fowl, with cysticercoids in a ground beetle (PHS) 1930, 16, 158  
 — [*Sclenophorus pedicularis* an intermediate host for *Raillietina (Scriabinia) cestitillus*] PHS 1930, 16, 158
- [New host records for bird cestodes] PHS 1930, 16, 159  
 — [*Physa heterostropha* as host for *Dacnusa proglottina*] PHS 1930, 16, 164  
 — [*Crataegus diluvius* an intermediate host for the cestode, *Raillietina (Scriabinia) cestitillus*] PHS 1930, 16, 164  
 — [*Orthophagus brevis* as host for *Hymenolepis carinata*] PHS 1930, 16, 165  
 — [Ground beetle, *Cadathus opaculus*, as an additional intermediate host for the poultry cestode, *Raillietina cestitillus*] PHS 1930, 17, 57  
 — On the loss of an experimentally produced instar of tapeworms in a chicken (PHS) 1931, 17, 233  
 — On the life histories of species of *Raillietina* (PHS) 1931, 17, 234  
 — See Alicata and Jones 1933, 19, 244  
 — See Cuvillier and Jones 1933, 19, 245  
 — See Cuvillier and Jones 1933, 19, 254  
 — On the systematic position of *Darainca fabramanii* Williams, 1931 (PHS) 1933, 19, 255  
 — Notes on cestodes of poultry (PHS) 1933, 20, 66  
 — and **Horsfall, M. W.** Ants as intermediate hosts for two species of *Raillietina* parasitic in chickens (ab) 1935, 21, 442  
 — See Horsfall and Jones 1937, 23, 435
- Cram, E. B. and Wright, W. H.** Studies on oxyuriasis. XIII. Problems presented by a family of seven, all infested with pinworms (ab) 1937, 23, 571  
 — **Jacobs, L. and Hoilaender, A.** The effects of monochromatic ultraviolet radiation on eggs of *Enterobius vermicularis* (ab) 1939, 25 Suppl. 21  
 — and — Studies on the survival of eggs of *Enterobius vermicularis* under known conditions of humidity and temperature (ab) 1939, 25 Suppl. 32
- Jones, Roy W.** See Ackett and Jones 1928, 15, 135
- Kadner, C. G.** See Herms and Kadner 1936, 22, 541  
 — See Herms and Kadner 1937, 23, 296  
 — See Herms et al 1939, 25, 511
- Kamm, Minnie Watson** The development of gregarines and their relation to the host tissues: I. In *Sicnophora lactaria* Watson 1917, 3, 124  
 — Notes on known gregarines 1917, 4, 40  
 — New gregarines from Coleoptera [Errata 5, 44] 1918, 4, 159  
 — The development of gregarines and their relation to the host tissues: II. In *Cephalolophora delphinia* (Watson) 1918, 5, 35  
 — The development of gregarines and their relation to the host tissues: (III) in *Gregarina rigida* (Hall) Ellis 1920, 7, 23  
 — Notes on gregarines 1921, 7, 175  
 — See also Watson, Minnie Fitzzabeth
- Kaplan, Samuel S.** See Culbertson and Kaplan 1937, 23, 560
- Kartchner, J. A. and Becker, E. R.** Observations on *Escherichia citelli*, a new species of coccidium from the striped ground-squirrel 1930, 17, 90
- Kasai, Katsuya and Kobayashi, R.** The stomach spirochete occurring in mammals 1919, 6, 1
- Katzin, Leonard I. and Kirby, H., Jr.** The relative weights of termites and their protozoa 1939, 25, 444
- Keller, A. E.** Fight cases of human intestation with the rat tapeworm (*Hymenolepis diminuta*) 1931, 18, 108
- Kelley, Ruth Shaw** Variations in *Platytura salamandra* (ab) 1934, 20, 324
- Kellog, C. R.** See Faust and Kellog 1928, 14, 196
- Kellogg, Vernon L.** Spider poison 1915, 1, 167
- Kephart, Cornelia F.** The poison glands of the larva of the brown tail moth (*Liparis chrysaloides* Linn.) 1914, 1, 95
- Kepner, William A. and Carroll, R. P.** The ciliate endoparasite in *Stenostoma leucops* 1923, 10, 99
- Kerby, Grace** Survey of intestinal protozoa at autopsy 1935, 21, 449
- Kerr, Kathel B.** Immunity in rabbits against one of its cestode parasites, *Cyathocercus pisiformis* (ab) 1934, 20, 328  
 — and **Petkovich, O. L.** Active immunity in rabbits to the liver fluke, *Fasciola hepatica* 1935, 21, 319  
 — Resistance in mice to *Acyllostoma caninum* (ab) 1935, 21, 427

- See Andrews et al 1935, 21, 452  
 See Ota et al 1937, 23, 560
- Kessel, John F.** The ingestion of erythrocytes by *Trichomonas hominis* and its occurrence in the pus of an amoebic liver abscess 1925, 11, 151
- The coxin-criterion of the viability of protozoan cysts as applied to cysts of *Haemaphysalis hyalina* treated with chlorin-water 1925, 11, 153
- See Svensson and Kessel 1926, 13, 146
- Intestinal protozoa of monkeys (ab) 1927, 13, 283
- Experimental giardiasis in kittens and puppies (ab) 1929, 16, 99
- The *Eimeria* of domestic rabbits (ab) 1929, 16, 100
- Incidence of intestinal protozoa in arthritic and non-arthritic patients in a hospital population (ab) 1931, 13, 122
- An attempt to transmit *Trichomonas vaginalis* to the intestinal tract of kittens (ab) 1933, 20, 124
- Notes on two coccidia reported from man (ab) 1933, 20, 144
- and **Gafford, J. A., Jr.** *Trichomonas vaginitis* (ab) 1934, 20, 330
- and **Simitsin, D.** A survey of intestinal protozoa among children and adults in Los Angeles (ab) 1937, 23, 555
- and — A survey of intestinal protozoa among children and adults in Los Angeles 1938, 24, 433
- Kimpel, Harry G.** *Mazoceras cephalinum*, a new monogenetic trematode from a fresh-water fish (ab) 1938, 24 Suppl., 24
- Kingscote, A. A.** *Eimeria mustelae*, n. sp. from *Mustela vison* 1934, 20, 252
- A note on the coccidia of the mink 1935, 21, 136
- See Faulhaber and Kingscote 1936, 22, 233
- A further note on *Eimeria mustelae* and *Eimeria vison*, coccidia of the weasel and mink 1937, 23, 540
- Removing air bubbles from the buccal capsules of bursate worms 1939, 25, 442
- Kintner, K. E.** See Alvey and Kintner 1934, 20, 327
- Kirby, Harold, Jr.** Protozoa from termites of the genus *Impliciteria* (ab) 1930, 17, 108
- Trichomonad flagellates from termites (ab) 1930, 17, 109
- The distribution of flagellates in termites of the genus *Katoderma* S. lat. (ab) 1933, 20, 121
- Comparative morphology of the devescovinid flagellates 1933, 20, 121 (ab)
- See Katzin and Kirby 1939, 25, 444
- Kirby-Smith, J. Lee, Dove, W. E., and White, G. F.** Further observations on creeping eruption (ab) 1927, 14, 121
- Knight, Harry H.** Observations on the poisonous nature of the white-marked tussock moth (*Heterocampa leucostigma* Smith and Abbot) 1922, 8, 133
- Knipling, Edward F.** Observations on first-stage larvae of *Gasterophilus intestinalis* in tongues of horses in central Iowa during December, 1932, and January, 1933 1934, 20, 196
- The larval stages of *Hyphoderma lineatum* Devillers and *Hyphoderma horis* Degeer 1935, 21, 70
- See Hall and Knipling 1935, 21, 128
- and **Becker, E. R.** A coccidium from the fox squirrel, *Sciurus niger rufescens*, Geoffroy 1935, 21, 417
- A comparative study of the first-instar larvae of the genus *Sarcophaga* (Calliphoridae, Diptera) with notes on the biology 1936, 22, 417
- and **Rainwater, H. T.** Species and incidence of dipterous larvae concerned in wound myiasis 1937, 23, 451
- Kobayashi, Harujiro** On a new species of rhabditoid worms found in the human intestines 1920, 6, 148
- Kobayashi, Rokuzo** See Kasai and Kobayashi 1919, 6, 1
- Kofoid, Charles Atwood and Swezy, O.** A note on Dr. Gunn's difficulties with *Conchilmania* 1924, 10, 153
- The protozoa of the human mouth (ab) 1928, 15, 140
- The protozoa of the human mouth 1929, 15, 151
- and **Whitaker, B. G.** Natural infection of American human trypanosomiasis in two species of cone-nosed bugs, *Triatoma praeterea* Uhler and *Triatoma adleri* Neiva, in the western United States 1936, 22, 259
- New snail and rabbit hosts for *Fasciola hepatica* Linn. 1933, 20, 49
- The white footed mouse, *Peromyscus leucopus noveboracensis*, a new host for *Eutrochilomys thompsoni* Simitsin, 1931: Brachyglacemidae (PHS) 1933, 20, 98
- New hosts for *Haematolobochus compleris* (Stedy, 1906) Krull, n. comb. (PHS) 1933, 20, 98
- The opossum, *Didelphis virginiana virginiana* Kerr, a new host for *Brachyglacemys spinulatum* (Hofmann, 1899) (PHS) 1933, 20, 98
- Infections of the white-footed mouse *Peromyscus leucopus noveboracensis*, with *Fasciola hepatica* Linn. (PHS) 1933, 20, 99
- New snail hosts for *Fasciola magna* (Bassi, 1875) Stiles, 1894 (PHS) 1933, 20, 107
- The snails, *Pseudosuccinea cellata* and *Gadua bathinoides techella*, new hosts for *Paramphistomum cerei* (Schrank, 1790) Fischler, 1901 (PHS) 1933, 20, 108
- Notes on *Chinostomum* (PHS) 1933, 20, 108
- Notes on *Illusostoma parvum* Stunkard (PHS) 1933, 20, 109
- Note on the toxic effect of copper for snails (PHS) 1933, 20, 109
- Studies on the life history of *Brachyglacemys* sp. possibly *B. spinulatum* (Hofmann, 1899) (PHS) 1933, 20, 109
- Notes on the life history of *Halipegus occidentalis* (Stadford, 1905) in the green frog, *Rana clamitans* (ab) 1933, 20, 133
- Notes on the life history of a frog bladder fluke (ab) 1933, 20, 134
- Life history studies on *Catylaphoron catylaphorum* (Fischler, 1901) Stiles and Goldberger, 1910 1934, 20, 173
- A note on the life history of a trematode, *Enstomus chelydrae* MacCallum, 1921 (ab) 1934, 20, 326
- Kudo, Rokusaburo R.** Contributions to the study of parasitic protozoa. III. Notes on Myxosporidia found in some fresh-water fishes of Japan, with the description of three new species 1916, 3, 3
- Contributions to the study of parasitic protozoa. II. *Myxobolus toyamai* nov. spec., a new myxosporidiate parasite in *Cyprinus carpio* L. 1917, 3, 163
- A new species of bat flea (Siphonaptera) from Arizona 1937, 23, 300
- See Jellison and Kohls 1938, 24, 143
- Siphonaptera: a study of the species infesting wild hares and rabbits of North America north of Mexico 1939, 25 Suppl., 17 (ab)
- Kolodny, Maxwell H.** See Culbertson and Kolodny 1938, 24, 83
- See Culbertson et al 1938, 24 Suppl., 32
- A method for the preservation of viable forms of *Trypanosoma cruzi* 1939, 25, 282
- Kondi, Athena** See Foy and Kondi 1935, 21, 451
- Kotcher, Emil** See Himter et al 1939, 25 Suppl., 19
- Kotlán, Alexander** On *Dacnusa proglottina* (Dav.) and its synonyms 1925, 12, 26
- Kouril, Pedro and Nauss, R. W.** Formation of the egg shell in *Fasciola hepatica* as demonstrated by histological methods 1938, 21, 291
- and **Basnuevo, J. G.** Actual state of human hepatic distomosis in Cuba (ab) 1939, 25 Suppl., 35
- Krecker, Frederic H.** *Filaria cinquila* parasitic in the skin of *Cryptobranchius altiphanensis* 1915, 2, 74
- Kreis, Hans A.** [Infection experiments with *Tylenchus dipsaci* on sweet and Irish potatoes] PHS 1931, 17, 236
- A new pathogenic nematode of the family Oxyuroidea, *Oxyurancima atrophora* n. g. n. sp. in the red-spider monkey, *Ateltes geoffroyi* 1932, 18, 295
- Krogh, Laurence** See Riley and Krogh 1927, 13, 224
- Krueger, F. J.** Secretions of *Cochliomyia macellaria* Fab. larvae in relation to their development (ab) 1930, 17, 109
- Kruidenier, F.** See Woodhead, and Kruidenier 1936, 22, 407
- Krull, Wendell H.** The life history of two North American frog lung flukes 1930, 16, 207
- Studies on the development of *Cercaria besstiae* Cort and Brooks, 1928 (ab) 1932, 19, 165
- Studies on the life history of *Catylaphoron catylaphorum* (Fischler, 1901), Stiles and Goldberger, 1910 (ab) 1932, 19, 165



- Experiments on the extrusion of polar filaments of eutrosporidian spores 1918, 4, 141
- Contributions to the study of parasitic protozoa. IV. Note on some Myxosporidia from certain fish in the vicinity of Woods Hole 1918, 5, 11
- On the structure of some microsporidian spores 1920, 6, 178
- Notes on *Novina apis* Zander 1920, 7, 85
- Microsporidia parasitic in copepods 1921, 7, 137
- On some protozoa parasitic in fresh-water fishes of New York 1921, 7, 166
- Studies on Microsporidia parasitic in mesoquites. II. On the effect of the parasites upon the host body 1921, 8, 70
- and **Hetherington, D. C.** Notes on a microsporidian parasite of a nematode 1922, 8, 129
- Skate trypanosome from Woods Hole 1923, 9, 179
- Microsporidian parasites of ephemerid nymphs 1923, 10, 22
- Studies on Microsporidia parasitic in mosquitoes. VI. On the development of *Thelohanía opacita*, a ciliate parasite 1924, 11, 84
- Notes on Myxosporidia (ab) 1932, 19, 169
- The macronuclear chromatin of *Nyctolierus ocellis* (ab) 1935, 24, 429
- A microsporidian parasite in *Reithiermes floeipes* 1938, 24, 377
- and **De Coursey, J. D.** On the development of *Noscona bompheis* in the fall webworm, *Hyphantria cunea* (ab) 1939, 25 Suppl, 17
- Kuhn, L. R.** See Talliaferro and Kuhn 1932, 19, 158
- Kwei, W. S.** See Stoll et al 1927, 13, 166
- See Stoll et al 1927, 13, 226
- Laake, E. W.** See Parish and Laake 1935, 21, 264
- Lamson, Paul D.** and **Ward, C. B.** The chemotherapy of belemnith infestations 1932, 18, 173
- See Brown and Lamson 1933, 20, 141
- Landsberg, J. W.** and **Cross, S. X.** The blood picture in acute fatal infestations with *Ancylostoma caninum* 1935, 21, 130
- See Otto et al 1937, 23, 560
- See Otto and Landsberg 1938, 24 Suppl, 33
- Lange, C. J.** See Johnson and Lange 1938, 24 Suppl, 12
- See Johnson and Lange 1939, 25, 157
- Larsh, John E., Jr.** Life cycle of *Coralobolothrium* sp. from *Aminicurus nebulosus* (ab) 1939, 25 Suppl, 19
- Larson, Carl L.** The tick parasite *Larobiphagus texanus* in nymphs and larvae of *Utaemphysalis leporis-palustris* in Minnesota 1937, 23, 496
- and **Green, R. G.** Seasonal distribution of tick parasites 1938, 24, 363
- Larson, Mary E.** and **Allen, F. W.** A comparative study on the longevity of *Opalina obitropionoides* in various media (ab) 1927, 13, 225
- La Rue, George R.** The relationships of the trematode family Strigeidae (Holostomidae) (ab) 1926, 12, 159
- A trematode with two anti 1926, 12, 207
- A new species of *Sirriaca* from the herring gull, *Larus argentatus* (Pont.), with remarks on the function of the hold-fast organ (ab) 1927, 13, 226
- and **Townsend, E. W.** Studies on the trematode family Strigeidae (Holostomidae). *Ularia nasata* sp. nov. (ab) 1927, 14, 124
- and **Barone, G. H.** Studies on the trematode family Strigeidae (Holostomidae). *Ularia argonensis*, n. sp. (ab) 1927, 14, 124
- and **Bosma, N. J.** Studies on the trematode family Strigeidae (Holostomidae) *Neodiplostomum lucidum* n. sp. (ab) 1927, 14, 124
- and **Fallis, A. M.** *Ularia canis* n. sp. (Aharidae), a trematode parasite of the dog in northern Ontario (ab) 1934, 20, 335
- and **Ameel, D. J.** The distribution of *Paragonimus* 1937, 23, 382
- Life history studies and their relation to problems in taxonomy of digenetic trematodes 1938, 24, 1
- Law, Ronald G.** Sodium chloride for the destruction of hookworm larvae (PHS) 1932, 19, 87
- Lawler, H. J.** Demonstration of the life history of the nematode, *Syphacia obvelata* (Rudolphi, 1802) 1939, 25, 442
- On the nature of age resistance to *Strongyloides ratti* (ab) 1939, 25 Suppl, 30
- Leasure, E. E.** See Whitlock and Leasure 1938, 24, 469
- Lee, C. U.** and **Meleney, H. E.** Terrestrial malaria in a village near Peking (ab) 1928, 14, 196
- Leidy, Joseph, II.** The hemotoxins of intestinal parasites. A critical summary with notes on some cases 1924, 10, 147
- Leigh, W. Henry** The life cycle of a trematode of frogs (ab) 1937, 23, 563
- Variation in a new cestode of the genus *Kaillitina* (*Skrjabinia*) from the prairie chicken (ab) 1939, 25 Suppl, 10
- Leiper, R. T.** [Notes on Cobbald's type specimens of *Pistemon carhartii*] PHS 1921, 8, 92
- [Egg-laying habit of guinea worm] PHS 1921, 8, 92
- [Importance of measures against snails, in schistosomiasis] PHS 1921, 8, 92
- [Passage of schistosome eggs through tissues] PHS 1921, 8, 92
- [Effect of copper sulphate on aquatic habitats] PHS 1921, 8, 93
- Leiva, Lamberto** Observations on *Chilomastix intestinalis* Kucziński 1921, 8, 49
- Leon, N.** Quelques observations sur les péliculides 1920, 6, 144
- *Dibothriacaphalus taenioides* Leon, a new case in Koumania 1920, 7, 43
- A case of urethral myiasis 1921, 7, 184
- Leonard, A. Bryon** and **Smith A. E.** The intestinal phase of the immunity to *Cyathostomus pistiformis* in rabbits (ab) 1939, 25 Suppl, 30
- Levin, Arthur J.** Recovery of *Trichinella spiralis* larvae from early stages of infection (ab) 1939, 25 Suppl, 24
- Levine, Norman D.** Observations on *Balanitium coli* from swine in culture 1939, 25, 401
- Levine, P. P.** A new method for embryonating nematode eggs in fecal discharges 1936, 22, 291
- The viability of the ova of *Ascaridia imicola* when exposed to various environmental conditions 1937, 23, 368
- The effect of various environmental conditions on the viability of the ova of *Capillaria columbae* (Kud.) 1937, 23, 427
- Infection of the chicken with *Capillaria columbae* (Rud.) 1938, 24, 45
- Observations on the biology of the poultry cestode *Parvica proglottina* in the intestine of the host 1938, 24, 423
- The effect of infection with *Laeocina proglottina* on the weights of growing chickens 1938, 24, 550
- The effect of sulfapyridine on experimental avian coecidiosis (ab) 1939, 25 Suppl, 35
- Li, H. C.** The taxonomy and early development of *Procamallanus julidracontis* n. sp. 1935, 21, 103
- Lincicome, David R.** See Faust et al 1938, 24 Suppl, 8
- See Sawitz et al 1938, 24 Suppl, 9
- A new tapeworm, *Chomolacania tola*, from the robin 1939, 25, 203
- See Faust et al 1939, 25, 241
- See Van Cleave and Lincicome 1939, 25 Suppl, 10
- Linton, Edwin** *Toxotrema linnaei* (Creplin). The adult stage of a skin parasite of the eunner and other fishes of the Woods Hole region 1915, 1, 128
- Cestode cysts from muskrat 1915, 2, 46
- Notes on two cestodes from the spotted sting-ray 1916, 3, 34
- *Rhynchobolothrium bigens* spec. nov., a parasite of the dusky shark (*Carcharias obscurus*) 1921, 8, 22
- Note on degenerating cestode cysts in mackerel 1923, 9, 176
- A new cetacean cestode (*Prosthecoctyle monticelli* sp. nov.) with a note on the genus *Trichobolothrium* Rudolphi [Errata 10, 194] 1923, 10, 51
- A new dicerian cestode [Errata 11, 236] 1925, 11, 163
- A note on cestode parasites of birds (ab) 1927, 13, 223
- List, George M.** Notes on some cestoid parasites of man and animals (ab) 1937, 23, 535
- Lloyd, Lowell Clyde** and **Guberlet, John E.** A new genus and species of Monorchidae 1932, 18, 232
- Some digenetic trematodes from Puget Sound fish 1938, 24, 103
- Lo, K. C.** See Faust and Lo 1928, 14, 197

- Loewen, S. L.** The occurrence of a dis-  
tome metacercaria in a brown rat  
1934, 26, 250  
A new trematode of the family  
Gorgoderidae  
1935, 21, 194
- Long, L. Helen and Wiggins, N. E.**  
A new species of *Dicrochis* (Cestoda:  
Hymenolepididae) from the caecus  
back  
1939, 25, 483
- Looper, J. B.** See Reynolds and Looper
- Lucas, Catherine L. T.** The intestinal  
amoebae of the cockroach (ab)  
1927, 13, 220  
A study of excystation in *Arcy-  
thirus ovalis* with notes on other in-  
testinal protozoa of the cockroach  
1928, 14, 161
- Lucas, Miriam Scott** Observations on  
*Cyathodinium piriforme*, an endozoic  
ciliate of the guinea-pig (ab)  
1931, 18, 123
- Lucké, Baldwin** See Wight and Lucké  
1920, 6, 140
- Lucker, John T.** See Schwartz and  
Lucker  
1931, 18, 46  
[Occurrence of *Gongylonema nec-  
roplasticum* in wild rats, *Rattus norve-  
gicus*, in United States] PHS  
1931, 18, 55  
See Schwartz et al. 1931, 18, 129  
See Alicata and Lucker  
1932, 18, 311  
Experimental transmission of  
*Strongyloides ransoni* to a domestic  
rabbit (PHS)  
1932, 19, 92  
Some cross transmission experi-  
ments with *Gongylonema* of ruminant  
origin  
1932, 19, 134  
*Gongylonema macrogasteracutum*  
Labinov, 1931 from two new hosts  
(PHS)  
1933, 19, 243  
Failure of repeated injections of  
*Trichina* extracts to immunize rats to  
trichinosis (PHS)  
1933, 19, 245  
*Gongylonema filiforme* Molin, 1857  
not a synonym of *Diplectanema gra-  
cile* (Dresing, 1861) Yorke and Maple-  
stone, 1926 (PHS)  
1933, 19, 248  
Two new hosts of *Gongylonema*  
*pulchrum* Molin, 1857 (PHS)  
1933, 19, 248  
A second record of the occurrence  
of *Gongylonema* in deer (PHS)  
1933, 19, 248  
The morphology and development  
of the infective larva of *Cylicodontia-  
phorus ultraeicheni* (Thilo)  
1935, 21, 381
- See Schwartz and Lucker  
1935, 21, 432
- Luhman, Marion** Two new trematodes  
from the logghead turtle (*Caretta*  
*carolina*)  
1935, 21, 274
- Lund, Horace O.** See Boughton et al.  
1938, 24, 161
- Lunz, Walter S.** Life history of  
*Catantoloda borealis* Marshall and Gil-  
bert (Trematoda: Heterophyidae)  
(ab)  
1939, 25 Suppl, 27
- Luttermoser, George W.** A note on  
the life history of the mesostome,  
*Neotocotylus urbanensis* 1935, 21, 456  
Experimental infestations of rats  
and mice with *Capillaria hepatica*  
(ab)  
1936, 22, 536  
Factors influencing the develop-  
ment and viability of the eggs of *Nip-  
hostrongylus muris*  
1937, 23, 539  
Resistance of rats and mice to in-  
fection with *Capillaria hepatica* (ab)  
1937, 23, 559  
Susceptibility of chickens to rein-  
fection with *Railletiana cestoides* as  
determined by the presence of the  
original terminal segment (ab)  
1938, 24 Suppl, 14
- Lynch, James E.** *Physalostomum*  
*singulare* n. sp., a trematode from the  
urinary bladder of *Dicamptodon on-*  
*satus* (Eschscholtz), with notes on re-  
lated species  
1936, 22, 42
- Lynch, Kenneth M.** Dauer-cyst-forma-  
tion of *Trichomonas intestinalis*  
1916, 3, 28  
*Tricercomonas intestinalis* and  
*Enteromonas coriaca* n. sp. and their  
growth in culture  
1922, 9, 29  
**Lyon, M. W., Jr.** Conjunctival ophthal-  
momyiasis caused by *Oesyrus oris*  
(ab)  
1934, 20, 337
- McCaffrey, D.** The effect of tick bites  
on man  
1916, 2, 193
- McC Campbell, Sam C.** Some external  
parasites of the rodent family Scuri-  
dae (ab)  
1937, 23, 535
- McCoy, E. E., Girth, H. B. and Glaser,  
R. W.** Notes on a giant form of the  
nematode *Xylopectana glaseri*  
1938, 24, 471
- McCoy, Oliver R.** Life history studies  
on trematodes from Missouri (ab)  
1927, 14, 127  
Life history studies on trematodes  
from Missouri  
1928, 14, 207  
Seasonal fluctuation in the infesta-  
tion of *Planorbis tricolaeris* with larval  
trematodes  
1928, 15, 121

- McFall, Claude Matthews** *Leishmania*  
*reynoldsi* nov. sp. from the intestine  
of the common swift, *Nyctalus under-*  
*latus*  
1926, 12, 191
- McFarlane, Samuel Hanford** A study  
of the endoparasitic trematodes from  
marine fishes of Department Bay, E. C.  
(ab)  
1935, 21, 434
- McGavran, Edward G.** See Augustine  
et al.  
1928, 15, 43
- McIntosh, Allen** Some notes on the  
genus *Leucochloridium* (ab)  
1927, 13, 227  
See Schwartz and McIntosh  
1929, 16, 104  
See Schwartz et al. 1930, 17, 111  
A new species of tick from the  
Texas pecary (ab)  
1931, 18, 124  
[Identification of ticks from *Per-  
cari angulatus angulatus*] PHS  
1932, 18, 304  
Some new species of trematode  
worms of the genus *Leucochloridium*  
Carns, parasitic in birds from north-  
ern Michigan, with a key and notes on  
other species of the genus  
1932, 19, 32  
A new flarid from the abdominal  
cavity of a bat (ab)  
1932, 19, 170  
See Alicata and McIntosh  
1933, 20, 62  
Equine parasites from Puerto Rico  
(PHS)  
1933, 20, 110  
*Picrocoelium lasiuri* n. sp. (Trem-  
atoda, Digenea) from the liver of a  
red bat (ab)  
1933, 20, 137  
Polyandry and polygamy in para-  
sitic worms (ab)  
1933, 20, 141  
*Odhneritrema incantodum*  
(Ledy, 1856), a trematode from the  
mouth of *Alligator mississippiensis*  
(Daudin)  
1935, 21, 53  
A new species on trematode,  
*Uvulocystis fusiformis* n. sp., from the  
morning warbler  
1935, 21, 55  
and **McIntosh, G. E.** Parasitic  
fauna of birds found dead on the  
Washington monument ground during  
the 1935 autumnal migration (ab)  
1935, 21, 431  
The occurrence of *Eurythymis*  
*signata* (Rudolphi, 1819) in the  
United States (ab)  
1936, 22, 536  
New host records for *Piphyllo-*  
*bothrium mansonioides* Mueller, 1935  
and **McIntosh, G. E.** Experiment-
- Two new marine trematode life  
histories (ab)  
1928, 15, 141  
The growth of hookworm larvae  
on pure cultures of bacteria (ab)  
1928, 15, 141  
Notes on cercariae from Missouri  
1929, 15, 199  
Observations on the life history  
of a marine lophocercous cercaria  
1929, 16, 29  
The development of bookworm  
eggs and larvae under different condi-  
tions of temperature, hydrogen-ion  
concentration, and oxygen tension  
(ab)  
1929, 16, 100  
A quantitative study of experi-  
mental infections of a trematode in its  
fish host (ab)  
1929, 16, 101  
See Miller and McCoy  
1929, 16, 101  
See Miller and McCoy  
1930, 16, 185  
Experimental studies on two fish  
trematodes of the genus *Hammere-*  
*adum* (Family Alveocreadidae)  
1930, 17, 1  
Immunity reactions of the dog  
against bookworm (*Eurythymia can-*  
*ina*) under conditions of repeated in-  
fection (ab)  
1930, 17, 109  
The course of experimental trich-  
iniasis infections in rats (ab)  
1931, 18, 123  
and **Miller, J. J., Jr.** Skin reac-  
tions to *Trichinella spiralis* antigen in  
cases of trichiniasis and infections  
with *Trichuris trichiura* (ab)  
1931, 18, 123  
The occurrence of *Microphallum*  
*oscardi* in Panama (ab) 1932, 19, 175  
Artificial immunization of rats  
against trichiniasis (ab) 1933, 20, 142  
The development of adult trich-  
inae in chick and rat embryos (ab)  
1934, 20, 335  
Filarial parasites of the monkeys  
of Panama (ab)  
1935, 21, 440  
The development of trichinae in  
abnormal environments  
1936, 22, 54  
Rapid loss of *Trichinella* larvae  
to immune rats and its bearing on  
the mechanism of immunity (ab)  
1938, 24 Suppl, 35  
and **Downing, V.** The penetra-  
tion of radioactive phosphorus into  
encysted *Trichinella* larvae (ab)  
1939, 25 Suppl, 33
- McDonald, Ruth** See Wilson and  
McDonald  
1938, 24, 249